INDEX TO VOLUME 15*

AUTHOR INDEX

Abraham, S., Hill, R., and Chaikoff, I. L. Concerning pathways of glucose utilization in mouse liver and hepatoma, 177

Agate, F. See Agate, F. J., Jr., 6

Agate, F. J., Jr., Antopol, W., Glaubach, S., Agate, F., and Graff, S. The nonessentiality of the hypophysis for the induction of tumors with 3,4-benzpyrene, 6

Albano, A. See Kertész, D., 394

Allard, C. See de Lamirande, G., 329

Allen, S. L. H-21, a tenth allele at the histocompatibility-2 locus in the mouse as determined by tumor transplantation,

Anderson, T. F. See Coman, D. R., 541

Andre, J. See Creech, H. J., 726

Antopol, W. See Agate, F. J., Jr., 6

Appel, M., and Saphir, O. The Brown-Pearce carcinoma in the hyperergic rabbit, 357

Aptekman, P. M., and Bogden, A. E. A spontaneous ascites tumor originating and transplantable in the Wistar rat, 89

Bahner, C. T. Effect of compounds related to 4-(p-dimethylaminostyryl) quinoline methiodide on lymphoma 8, 588

Baker, K. F., Berg, O., Gorbman, A., Nigrelli, R. F., and Gordon, M. Functional thyroid tumors in the kidneys of platy-

Balis, M. E., and Dancis, J. Effects of A-methopterin on nucleic acid synthesis in leukemic spleen breis, 603

, Praag, D. V., and Brown, G. B. Studies on the metabolism of human tumors. I. Pentosenucleic acid synthesis in tumor-bearing hamsters, 673

Baserga, R., and Baum, J. Induction of blood-borne metastases by tumor transplantation in the tail of mice, 52

Baum, J. See Baserga, R., 52

Baumann, C. A. See Kandutsch, A. A., 128 . See Rumsfeld, H. W., Jr., 774

Beaumont, J. See Sokoloff, B., 147

Bennett, L. L., Jr., Skipper, H. E., Stock, C. C., and Rhoads, C. P. Searches for exploitable biochemical differences between normal and cancer cells. I. Nucleic acid purine metabolism in animal neoplasms, 485

Bennett, M. A., Hellerman, J., and Donnelly, A. J. Influence of vitamin B₁₂ on liver disease due to a "labile methyl"-free diet. 398

Bennett, P. L. See Halliday, S. L., 693

Berenblum, I., and Haran, N. The influence of dose of carcinogen, emptiness of stomach, and other factors on tumor induction in the forestomach of the mouse, 504

, and --. The influence of croton oil and of polyethylene glycol-400 on carcinogenesis in the forestomach of the

mouse, 510

Berenbom, M., Chang, P. I., Betz, H. E., and Stowell, R. E. Chemical and enzymatic changes associated with mouse liver necrosis in vitro, 1

Berg, O. See Baker, K. F., 118

Bering, E. A., Jr., McLaurin, R. L., Lloyd, J. B., and Ingraham, F. D. The production of tumors in rats by the implantation of pure polyethylene, 300

Bernard, L. J., Dutton, A. M., and Radakovich, M. Attempts to influence resistance to the Walker carcinoma 256 by administration of thorium dioxide (thorotrast), 15

*Also published in 1955, but not indexed below, were the Proc. Am. Assoc. Cancer Research, Vol. 2, No. 1, and Supplements No. 2 ("Negative Data from Experienced Cancer Chemotherapy Studies. II"), and No. 3, "Investigation of Diverse Systems". tems for Cancer Chemotherapy Screening.

-. The effect of thorium dioxide (thoroand trast) on metastases of the Walker carcinoma 256 and the relation of tumor size to frequency of metastases, 325

Bernfeld, P., and Homburger, F. The influence of tumor growth on the plasma proteins in mice, 359

Betz, H. E. See Berenbom, M., 1

Biesele, J. J., and Goldhaber, P. A study of cytoplasmic lipid granularity in tissue culture cells, 767

Binns, V. See Skipper, H. E., 143

Bittner, J. J. See Martinez, C., 442

-. See Martinez, C., 469 -. See Martinez, C., 612

-. See Miroff, G., 437 -, and Imagawa, D. T. Effect of the source of the mouse mammary tumor agent (MTA) upon neutralization of the agent with antisera, 464

Bloor, W. R., and Haven, F. L. The weight and lipid content of the intestines in rats with Walker carcinoma 256, 173

Bogden, A. E. See Aptekman, P. M., 89

Böhlke, E. B. See Griffin, A. C., 523

Borges, P. R. F. See Roberts, E., 697

Bostick, W. L., and Hanna, L. Characteristics of a virus isolated from Hodgkin's disease lymph nodes, 650

Bouvart, P. See Griffin, A. C., 523

Brncic, D. See Hoecker, G., 9

Brown, G. B. See Balis, M. E., 673

Brues, A. M. The new emotionalism in research, 345

Bryant, J. C. See Fioramonti, M. C., 763

Burdette, W. J. The significance of mutation in relation to the origin of tumors: a review, 201

Burmester, B. R. See Lesher, S., 537

Busch, H. Studies on the metabolism of pyruvate-2-C14 in tumor-bearing rats, 365

Cahn, M. M. See Shelley, W. B., 671

Cantarow, A. See Paschkis, K. E., 579

Cantero, A. See Daoust, R., 734

. See de Lamirande, G., 329 . See Weber, G., 105

. See Weber, G., 679

Carlsson, B. See Lagerkvist, U., 164

Chaikoff, I. L. See Abraham, S., 177

Chang, C. H. See Vermande-Van Eck, G. J., 280

Chang, P. I. See Berenbom, M., 1

Colter, J. See Flanagan, A. D., 657

Coman, D. R., and Anderson, T. F. A structural difference between the surfaces of normal and of carcinomatous epidermal cells, 541

Cowdry, E. V. See Suntzeff, V., 637

Creech, H. J., Havas, H. F., and Andre, J. Immunological properties of carcinogen-protein conjugates containing polycyclic aromatic hydrocarbons and substituted stilbenes, 726

Croninger, A. See Suntzeff, V., 637

Croninger, A. B. See Wynder, E. L., 445

Cutting, W. C. See Furst, A., 294

Dancis, J. See Balis, M. E., 603

Danishefsky, I. See Oppenheimer, B. S., 333

Daoust, R., and Cantero, A. Isolation of acid-soluble nucleotides from rat tissues and measurement of their specific activity following P32 administration, 734

Davidson, J. D., and Freeman, B. B. The effects of antitumor drugs upon P³² incorporation into nucleic acids of mouse tumors, 31

Davis, W. E. See Furlong, N. B., 710

Defendi, V. See Pearson, B., 593

de Lamirande, G., Allard, C., and Cantero, A. Ribonucleic acid composition of rat liver tumor induced by 4-dimethylaminoazobenzene, 329

Denman, D. T. See Horton, A. W., 701

Dennis, D. See Goldin, A., 57 . See Goldin, A., 742

Dent, J. N., Gadsden, E. L., and Furth, J. On the relation between thyroid depression and pituitary tumor induction in

Dietrich, L. S., and Shapiro, D. M. Testosterone augmentation of deoxypyridoxine antagonism of various vitamin B6-containing enzyme systems in tumor and host tissue, 133

Dolman, V. S. See Griffin, A. C., 523

Donnelly, A. J. See Bennett, M. A., 398

Drutz, E. See Friedman, N. B., 479

Dunn, M. S. See Levy, H. M., 302
—, and Murphy, E. A. Effect of ethionine alone or with amino acids on tumor growth, carcass weight, and nonprotein amino acids in rat liver, 760

Dutton, A. M. See Bernard, L. J., 15 -. See Bernard, L. J., 325

Earle, W. R. See Fioramonti, M. C., 763

Eddy, W. H. See Sokoloff, B., 147

Edmonds, J. See Vassey, J. W., 573

Edmonds, M. P., and LePage, G. A. The incorporation of glycine-2-C14 into acid-soluble nucleotide purines, 93

Eichwald, E. J. See Fuson, R. B., 162

Eirich, F. R. See Oppenheimer, B. S., 333

Evans, V. J. See Fioramonti, M. C., 763

Falls, N. G. See Kirschbaum, A., 685

Fioramonti, M. C., Bryant, J. C., McQuilkin, W. T., Evans, V. J., Sanford, K. K., and Earle, W. R. The effect of horse serum residue and chemically defined supplements on proliferation of strain L clone 929 cells from the mouse, 763

Flanagan, A. D., and Colter, J. Growth of Mengo encephalitis virus in Ehrlich ascites cells in vitro, 657

Flanigan, C. C. See Malmgren, R. A., 473

Fleisher, G. A. See Sibley, J. A., 306

. See Sibley, J. A., 609

Freeman, B. B. See Davidson, J. D., 31

Friedman, F., Harnly, M. H., and Kopac, M. J. The effects of vitamin variations upon the tumor incidence of a tu-e strain of Drosophila melanogaster, 375

, and - The effects of vitamin analogs upon tumor penetrance in a tu-e strain of Drosophila melanogaster,

Friedman, N. B., Sargent, J. A., and Drutz, E. Certain effects of irradiation and chemotherapy on cellular division and differentiation, 479

Fukui, K. See Nagata, C., 233

Furlong, N. B., Watson, E. J. P., Davis, W. E., and Griffin, A. C. The effect of tumor fractions on the uptake of carbon-14-labeled adenine into the deoxyribonucleic acids of mouse tissues, 710

Furst, A., Cutting, W. C., and Gross, H. Retardation of growth of Ehrlich ascites tumor by formamides and related compounds, 294

Furth, J. See Dent, J. N., 70

Fuson, R. B., and Eichwald, E. J. A semi-automatic needle for implanting tissues into experimental animals, 162

Gadsden, E. L. See Dent, J. N., 70

Gardella, J. W., and Lichtler, E. J. The effect of radiation on

the nucleic acid, nitrogen, and water content of the Yoshida sarcoma, 529

Gardner, W. U. Development and growth of tumors in ovaries transplanted into the spleen, 109

Gasic, G. See Hoecker, G., 9

Gaylord, W. H., Jr. Virus-like particles associated with the Rous sarcoma as seen in sections of the tumor, 80

Glaubach, S. See Agate, F. J., Jr., 6

Godman, G. C. See Levy, B. M., 184

Goldhaber, P. See Biesele, J. J., 767

Goldie, H., Walker, M., Jeffries, B. R., and Guy, R. Pattern of tumor cell spread in tissues and organs as a lethal factor in tumor-bearing animals, 263

Goldin, A., Venditti, J. M., Humphreys, S. R., Dennis, D., and Mantel, N. Studies on the management of mouse leukemia (L1210) with antagonists of folic acid, 742

and Greenhouse, S. W. Factors influencing the specificity of action of an antileukemic agent (aminopterin). Multiple treatment schedules plus delayed administration of citrovorum factor, 57

Goranson, E. S., and Tilser, G. J. Studies on the relationship of alloxan diabetes and tumor growth, 626

Gorbman, A. See Baker, K. F., 118

Gordon, M. See Baker, K. F., 118

Grabosz, J. See Lagerkvist, U., 164

Graff, S. See Agate, F. J., Jr., 6

Graham, E. A. See Wynder, E. L., 445

Green, J. A. See Vassey, J. W., 573

Greenberg, D. M. Isotopic tracer studies on the biochemistry of cancer, 421

-. See Sassenrath, E. N., 755 -, and Sassenrath, E. N. Tumor-host relationships. II. Tolerance to injection of amino acids, 620

Greene, H. S. N. The response of skin from rabbits immune to the Shope virus after in vitro infection and transplantation to normal animals, 124

. Attributes of embryonic tissues after growth and devel-

opment in heterologous hosts, 170

. Infectiousness of the Shope papilloma virus after growth in embryonic, neoplastic, and cancerous states of domestic rabbit skin, 748

Greenhouse, S. W. See Goldin, A., 57

Greenlees, J., and LePage, G. A. Protein turnover in a study of host-tumor relationships, 256

Griffin, A. C. See Furlong, N. B., 710

. See Ward, D. N., 456

Dolman, V. S., Böhlke, E. B., Bouvart, P., and Tatum, E. L. The effect of visible light on the carcinogenicity of ultraviolet light, 523

Gross, H. See Furst, A., 294

Gustafson, G. E. See Koletsky, S., 100

Guy, R. See Goldie, H., 263

Halliday, S. L., Bennett, P. L., and Oleson, J. J. The carcinostatic activity of benzylidene analogs of puromycin, 693

Ham, A. W. See Howatson, A. F., 62

Hanna, L. See Bostick, W. L., 650

Haran, N. See Berenblum, I., 504

. See Berenblum, I., 510

Harnly, M. H. See Friedman, F., 375 -. See Friedman, F., 382

Havas, H. F. See Creech, H. J., 726

Haven, F. L. See Bloor, W. R., 173

Hellerman, J. See Bennett, M. A., 398

Herbut, P. A., and Kraemer, W. A. The effect of N,N'-(4methyl-m-phenylene)-bis(aziridinecarboxamide) (ESK 230) on Walker mammary carcinoma 256, 614

Higgins, G. M. See Sibley, J. A., 306

Hildebrandt, A. C., and Riker, A. J. Inhibition by alcohols of diseased plant growths in tissue culture, 517

Hill, R. See Abraham, S., 177

Hill, R. M. See Holtkamp, D. E., 354

Hirsch, H. M. Tissue autoxidation inhibitors. I. The inhibition of DOPA autoxidation by extracts from normal and neoplastic tissues, 249

Hobbs, J. H. See Paschkis, K. E., 579

Hoecker, G., Pizarro, O., Brncic, D., and Gasic, G. Variation of virulence of transplantable leukemias of mice on successions. sive transfers into genetically unrelated hosts, 9

Hogue, M. J., and Rubin, A. Studies on the solid form of mouse Sarcoma 37 grown in tissue culture, 462

Holtkamp, D. E., Hill, R. M., and Rutledge, E. K. Oxygen utilization by methylcholanthrene-induced tumors, adjacent muscle, and normal muscle of rats, 354

Homburger, F. See Bernfeld, P., 359

Horn, E. C. Ascites tumor development. I. An analysis of the in vivo effect of nucleoprotein from Ehrlich ascites cells, 663

Horton, A. W., and Denman, D. T. Carcinogenesis of the skin. I. A re-examination of methods for the quantitative measurement of the potencies of complex materials, 701

Howatson, A. F., and Ham, A. W. Electron microscope study of sections of two rat liver tumors, 62

Humphreys, S. R. See Goldin, A., 57 . See Goldin, A., 742

Imagawa, D. T. See Bittner, J. J., 464

Ingraham, F. D. See Bering, E. A., Jr., 300

Irvin, E. M. See Vassey, J. W., 573

Irvin, J. L. See Vassey, J. W., 573

Jeffries, B. R. See Goldie, H., 263

Jehl, J., Mayer, J., and McKee, R. W. Influence of the hereditary obese-hyperglycemic syndrome and of alloxan diabetes on the survival of mice with Ehrlich ascites carcinoma, 341

Julian, L. M. Segregation of lesion patterns in adult chickens inoculated with cell suspensions of a transplantable lymphoid tumor, 493

Kandutsch, A. A., and Baumann, C. A. Skin sterols. VIII. Effects of carcinogens, co-carcinogens, and of certain hyperplastic agents, 128

Kaufman, N. See Rack, F. J., 722

Kelton, D. E. See Woodside, G. L., 390

Kertész, D., and Albano, A. The effect of the addition of a terminal respiratory system on the glucose metabolism of neoplastic tissues, 394

Kirschbaum, A., and Liebelt, A. G. Thymus and the carcinogenic induction of mouse leukemia, 689

, and Falls, N. G. Influence of gonadectomy and androgenic hormone on the induction of leukemia by methylcholanthrene in DBA/2 mice, 685

Kit, S. The biosynthesis of free glycine and serine by tumors,

Klopp, C. T. See Trams, E. G., 617

Knight, J. S., and Taber, E. Early development of squamouscell carcinoma in methylcholanthrene-painted chicken skin,

Koletsky, S., and Gustafson, G. E. Whole-body radiation as a carcinogenic agent, 100

Kopac, M. J. See Friedman, F., 375 See Friedman, F., 382

Korngold, L., and Lipari, R. Tissue antigens of human tumors grown in rats, hamsters, and eggs, 159

Kraemer, W. A. See Herbut, P. A., 614

Kreisler, L. See Molomut, N., 181

Lagerkvist, U., Reichard, P., Carlsson, B., and Grabosz, J. The biogenesis of pentosenucleic acid pyrimidines in the Ehrlich ascites tumor, 164

Larson, A. M. See Sassenrath, E. N., 755

Laws, J. O., Rudali, G., Royer, R., and Mabille, P. The early changes produced in the auditory sebaceous gland (Zymbal's gland) of the rat by 2-acetylaminofluorene, 139

Lemon, H. M., and Smakula, E. Factors affecting hamster sarcoma growth in the cheek pouch, 273

LePage, G. A. See Edmonds, M. P., 93

. See Greenlees, J., 256

Lesher, S., and Burmester, B. R. Plasma phosphatase activities of normal and lymphomatous chickens, 537

Levy, B. M., and Godman, G. C. Tumors of the notochord of the salamander, amblystoma punctatum, produced by crystalline Lathyrus factor, 184

Levy, H. M., Murphy, E. A., and Dunn, M. A. Effect of ethionine on the free amino acids in liver of tumorous and nontumorous rats, 302

Lichtler, E. J. See Gardella, J. W., 529

Liebelt, A. G. See Kirschbaum, A., 685

. See Kirschbaum, A., 689

Liener, I. E., and Seto, T. A. Nonspecific effect of soybean hemagglutinin on tumor growth, 407

Lipari, R. See Korngold, L., 159

Lloyd, J. B. See Bering, E. A., Jr., 300

Lucas, F. V. See Neufeld, H. A., 550

Mabille, P. See Laws, J. O., 139

MacDonald, J. C. See Miller, E. C., 320

MacDowell, E. C. Mouse leukemia. XV. Resistance to spon-

taneous cases in hybrids, induced by milk, 19

Mouse leukemia. XVI. Spontaneous cases in strain C58 resisted by milk of old STOLI foster nurses, 23

Malmgren, R. A., and Flanigan, C. C. Localization of the vegetative form of Clostridium tetani in mouse tumors following intravenous spore administration, 473

Mantel, N. See Goldin, A., 57

. See Goldin, A., 742

Martin, A. P. See Neufeld, H. A., 550

Martinez, C. See Miroff, G., 437

and Bittner, J. J. Postcastrational adrenal tumors in unilaterally adrenalectomized C3H mice, 612

, Miroff, G., and Bittner, J. J. Studies on the heat-stable accelerant from transplanted and spontaneous mammary tumors in mice, 442

-. Effect of the size on the transplantability and and lethality properties of spontaneous and transplanted mammary tumors in mice, 469

Mayer, J. See Jehl, J., 341

McKee, R. W. See Jehl, J., 341

McLaurin, R. L. See Bering, E. A., Jr., 300

McQuilkin, W. T. See Fioramonti, M. C., 763

Mellors, R. C. Microscopy. III. Cancer cytology and cytochemistry: a review, 557

Miller, E. C. See Miller, J. A., 188

—, MacDonald, J. C., and Miller, J. A. Inability of 4-dimethylaminoazobenzene to act as a major source of labile methyl groups, 320

Miller, J. A. See Miller, E. C., 320

—, Sandin, R. B., Miller, E. C., and Rusch, H. P. The carcinogenicity of compounds related to 2-acetylaminofluorene. II. Variations in the bridges and the 2-substituent, 188

Miroff, G. See Martinez, C., 442

See Martinez, C., 469

, Martinez, C., and Bittner, J. J. Acceleration in the transplantation and killing time of mammary tumors in mice pretreated with a heat-stable tumor tissue preparation, 437

Molomut, N., Spain, D. M., Kreisler, L., and Warshaw, L. J. The effect of an allergic inflammatory response in the tumor bed on the fate of transplanted tumors in mice, 181

Moon, H. D., and Simpson, M. E. Effect of hypophysectomy on carcinogenesis: inhibition of methylcholanthrene carcinogenesis, 403

Moore, A. E., Sabachewsky, L., and Toolan, H. W. Culture

characteristics of four permanent lines of human cancer cells, 598

Morrison, D. C. See Sassenrath, E. N., 755

Murphy, E. A. See Dunn, M. S., 760

. See Levy, H. M., 302

Nagata, C., Fukui, K., Yonezawa, T., and Tagashira, Y. Electronic structure and carcinogenic activity of aromatic compounds. I. Condensed aromatic hydrocarbons, 233

Nettleship, A., and Zeman, W. A histopathological study of heterologous transplants of an unusual brain tumor, 246

Neufeld, H. A., Lucas, F. V., Martin, A. P., and Stotz, E. Peroxidase and cytochrome oxidase in the Walker carcinoma 256, 550

Nigrelli, R. F. See Baker, K. F., 118

Nygaard, O., and Rusch, H. P. Incorporation of radioactive phosphate into nucleic acids of regenerating rat liver, 240

Oleson, J. J. See Halliday, S. L., 693

Oppenheimer, B. S., Oppenheimer, E. T., Danishefsky, I., Stout. A. P., and Eirich, F. R. Further studies on polymers as carcinogenic agents in animals, 333

Oppenheimer, E. T. See Oppenheimer, B. S., 333

Paschkis, K. E., Cantarow, A., Stasney, J., and Hobbs, J. H. Tumor growth in partially hepatectomized rats, 579

Pearson, B., and Defendi, V. Histochemical studies of succinic dehydrogenase by means of tetrazolium in rat liver tumors induced by p-dimethylaminoazobenzene, 593

Pikovski, M., and Schlesinger, M. The effect of prior injections of lyophilized mouse tumor on the growth and transplantation of mouse tumors in rats, 285

Pizarro, O. See Hoecker, G., 9

Plaine, H. L. The counteraction by cysteine of the effects of X-rays and of tryptophan on the action of specific suppressor systems in Drosophila melanogaster, 151

Powella, R. See Sokoloff, B., 147

Praag, D. V. See Balis, M. E., 673

Rack, F. J., Kaufman, N., and Simeone, F. A. Experimental carcinogenesis. The effect of 20-methylcholanthrene applied directly to the colon in mice, 722

Radakovich, M. See Bernard, L. J., 15

. See Bernard, L. J., 325

Reichard, P. See Lagerkvist, U., 164 Rhoads, C. P. See Bennett, L. L., Jr., 485

Rigdon, R. H. Spontaneous regression of hemangiomas: an ex-

perimental study in the duck and chicken, 77 Riker, A. J. See Hildebrandt, A. C., 517

Ritchie, A. C., and Saffiotti, U. Orally administered 2-acetylaminofluorene as an initiator and as a promoter in epidermal carcinogenesis in the mouse, 84

Roberts, E., and Borges, P. R. F. Patterns of free amino acids in growing and regressing tumors, 697

Royer, R. See Laws, J. O., 139

Rubin, A. See Hogue, M. J., 462

Rudali, G. See Laws, J. O., 139

Rumsfeld, H. W., Jr., and Baumann, C. A. Proteinuria in tumor-bearing rats, 774

Rusch, H. P. See Miller, J. A., 188

See Nygaard, O., 240

Rutledge, E. K. See Holtkamp, D. E., 354

Sabachewsky, L. See Moore, A. E., 598

Saffiotti, U. See Ritchie, A. C., 84

Sandin, R. B. See Miller, J. A., 188

Sanford, K. K. See Fioramonti, M. C., 763

Saphir, O. See Appel, M., 357

Sargent, J. A. See Friedman, N. B., 479

Sassenrath, E. N. See Greenberg, D. M., 620

, Morrison, D. C., Larson, A. M., and Greenberg, D. M. Evaluation of the carcinostatic activity of 1,2-bis(β-chloroethylthio)ethane, 755

Scarpelli, D. G. See von Haam, E. 449

Schabel, F. M., Jr. See Skipper, H. E., 143

Schlesinger, M. See Pikovski, M., 285

Schneyer, C. A. Effect of normal tissue inocula on homologous tumor transplants, 268

Seyle, H. The effect of antiphlogistic-corticoid conditioning (the "A-CC effect") upon the Walker tumor, 26

Seto, T. A. See Liener, I. E., 407

Shapiro, D. M. See Dietrich, L. S., 133

Shelley, W. B., and Cahn, M. M. Experimental production of metaplasia in the human apocrine sweat gland, 671

Sherman, C. D., Jr. See Waterhouse, C., 544

Sibley, J. A., and Fleisher, G. A. Aldolase content of normal and neoplastic tissue, 609

, and Higgins, G. M. Significance of the level of serum aldolase in tumor-bearing animals, 306

Silberberg, M., and Silberberg, R. Leukemogenic action of adrenocorticotrophic hormone (ACTH) in mice of various

Silberberg, R. See Silberberg, M., 291

Simeone, F. A. See Rack, F. J., 722

Simpson, M. E. See Moon, H. D., 403

Skipper, H. E. See Bennett, L. L., Jr., 485

Schabel, F. M., Jr., Binns, V., Thomson, J. R., and Wheeler, G. P. Studies on the mechanism of action and anticancer activity of N-methylformamide, 143

Slater, G. G. See Williams, A. D., 532

Smakula, E. See Lemon, H. M., 273

Sokoloff, B., Eddy, W. H., Beaumont, J., Williams, J., and Powella, R. Effect of ascorbic acid and glucoascorbic acid on nucleic acids in tumor tissue, 147

Spain, D. M. See Molomut, N., 181

Stasney, J. See Paschkis, K. E., 579

Steiner, P. E. Carcinogenicity of multiple chemicals simultaneously administered, 632

Stock, C. C. See Bennett, L. L., Jr., 485

. See Sugiura, K., 38

. See Tarnowski, G. S., 227

Stotz, E. See Neufeld, H. A., 550

Stout, A. P. See Oppenheimer, B. S., 333

Stowell, R. E. See Berenbom, M., 1

Sugiura, K., and Stock, C. C. Studies in a tumor spectrum. III. The effect of phosphoramides on the growth of a variety of mouse and rat tumors, 38

Suntzeff, V., Cowdry, E. V., and Croninger, A. Microscopic visualization of the degeneration of sebaceous glands caused by carcinogens, 637

Taber, E. See Knight, J. S., 583

Tagashira, Y. See Nagata, C., 233

Tarnowski, G. S., and Stock, C. C. Selection of a transplantable mouse mammary carcinoma for cancer chemotherapy screening studies, 227

Tatum, E. L. See Griffin, A. C., 523

Terepka, A. R. See Waterhouse, C., 544

Thomson, J. R. See Skipper, H. E., 143

Tilser, G. J. See Goranson, E. S., 626

Toolan, H. W. See Moore, A. E., 598

Trams, E. G., and Klopp, C. T. Distribution of radiocarbon in liver choline, creatine, and methionine after the injection of methyl-C14-bis(β-chloroethyl)amine, 617

Tweedell, K. S. Adaptation of an amphibian renal carcinoma in kindred races, 410

Vassey, J. W., Edmonds, J., Irvin, J. L., Green, J. A., and Irvin, E. M. Studies on the administration of quinacrine to tumor-bearing mice, 573

Venditti, J. M., See Goldin, A., 57
—. See Goldin, A., 742

Vermande-Van Eck, G. J., and Chang, C. H. Action of testosterone propionate on the output of pituitary gonadotrophins in mice, 280

Visser, D. W. See Werkheiser, W. C., 641
——. See Werkheiser, W. C., 644

von Haam, E., and Scarpelli, D. G. Experimental carcinoma of the cervix: a comparative cytologic and histologic study, 449

Walker, M. See Goldie, H., 263

Ward, D. N., and Griffin, A. C. Phosphorus incorporation into nucleic acids and proteins of liver nuclei of normal and azo dye-fed rats, 456

Warshaw, L. J. See Molomut, N., 181

Waterhouse, C., Terepka, A. R., and Sherman, C. D., Jr. The gross electrolyte composition of certain human malignant tissues. 544

Watson, E. J. P. See Furlong, N. B., 710

Weber, G., and Cantero, A. Glucose-6-phosphatase activity in normal, precancerous, and neoplastic tissues, 105

—, and —. Glucose-6-phosphatase activity in regenerating, embryonic, and newborn rat liver, 679

Weinhouse, S. See Wenner, C. E., 497

Wenner, C. E., and Weinhouse, S. Metabolism of neoplastic tissue. VII. Effects of dinitrophenol and fluoride on glucose oxidation in tumor homogenates, 497

Werkheiser, W. C., and Visser, D. W. Metabolic inhibitors and nucleotide turnover. II. Inhibition of uptake of C14-precursors in rat liver and hepetoma slices 644.

sors in rat liver and hepatoma slices, 644

—, Winzler, R. J., and Visser, D. W. Metabolic inhibitors and nucleotide turnover. I. Inhibition of uptake of radio-phosphate in rat liver and hepatoma slices, 641

Wheeler, G. P. See Skipper, H. E., 143

Williams, A. D., Slater, G. G., and Winzler, R. J. The effect of A-methopterin on formate-C¹⁴ incorporation by mouse leukemias in vitro, 532

Williams, J. See Sokoloff, B., 147

Winzler, R. J. See Werkheiser, W. C., 641

—. See Williams, A. D., 532

Woodside, G. L., and Kelton, D. E. Combination chemotherapy of mouse tumors with 8-azaguanine and flavotin, 390

Wynder, E. L., Graham, E. A., and Croninger, A. B. Experimental production of carcinoma with cigarette tar. II. Tests with different mouse strains, 445

Yonezawa, T. See Nagata, C., 233

Zeidman, I. Experimental studies on the spread of cancer in the lymphatic system. III. Tumor emboli in thoracic duct. The pathogenesis of Virchow's node, 719

Zeman, W. See Nettleship, A., 246

SUBJECT INDEX

ACTH. See Adrenocorticotrophin.

Acetate-2-C¹⁴, incorporation of, into glycine and serine by tumors. Kit, 715

4-Acetylaminobiphenyl, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylaminocarbazole, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

3-Acetylaminocarbazole, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylaminodibenzothiophene, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

3-Acetylaminodibenzothiophene sulfone, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylamino-9,10-dihydrophenanthrene, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

3-Acetylaminodiphenylmethane, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

4-Acetylaminodiphenylsulfide, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylaminofluorene, as an initiator and promoter of epidermal carcinogenesis in the mouse. Ritchie and Saffiotti, 84
 —, carcinogenesis of compounds related to. Miller, Sandin,

Miller, and Rusch, 188
——, effect on auditory sebaceous gland. Laws, Rudali, Royer,

and Mabille, 139

——, immunological properties of carcinogen-protein conjugates containing. Creech, Havas, and Andre, 726

2-Acetylamino-9-fluorenol, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylamino-9-fluorenone, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

3-Acetylaminophenanthrene, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

1-Acetylaminopyrene, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

2-Acetylaminopyrene, carcinogenic activity of. Miller, Sandin, Miller, and Rusch, 188

in

na

3-Acetyl pyridine, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Adenine, isolated from mouse lymphoma protein, effect of A-methopterin on incorporation of formate-C¹⁴ into. Williams, Slater, and Winzler, 532

—, of acid-soluble nucleotides, incorporation of glycine-2-C¹⁴ into. Edmonds and LePage, 93

Adenine-8-C¹⁴, effect of tumor fractions on the uptake of, into deoxyribonucleic acids of mouse tissues. Furlong, Watson, Davis, and Griffin, 710

—, incorporation into pentosenucleic acids of various hamster tissues and of heterologous human tumor implants. Balis, Praag, and Brown, 673

—, incorporation into polynucleotides by a variety of tumors and host intestine and liver. Bennett, Skipper, Stock, and Rhoads, 485

Adenine-1,3-N¹⁵, incorporation into nucleic acids of spleens of normal and leukemic mice, with and without A-methopterin. Balis and Dancis, 603

Adenocarcinoma, of colon and rectum, in human, increased aldolase content of. Sibley and Fleisher, 609

Adenocarcinoma 755, carcinostatic activity of 15 benzylidene analogs of puromycin for. Halliday, Bennett, and Oleson, 698—, effect of antitumor agents on incorporation of P³² into deoxyribonucleic acid of. Davidson and Freeman, 31

—, incorporation of labeled purines and of formate-C¹⁴ into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

—, inhibition of various enzyme systems in, with deoxypyridoxine and/or testosterone. Dietrich and Shapiro, 133

Adenocarcinoma 15091A. See Carcinoma 15091A.

Adenocarcinoma A-T3, mammary, solid, effect of 1,2-bis(β -chloroethylthio)ethane and methylbis(β -chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg.

Adenocarcinoma C3HBA, effect of 1,2-bis(β-chloroethylthio)ethane and methylbis(β-chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg.

—, effect of chemotherapeutic agents on. Tarnowski and Stock, 227

——, localization of vegetative form of Clostridium tetani in, following intravenous spore administration. Malmgren and Flanigan, 473

- Adenocarcinoma C3H-SX, ascites and solid, effect of 1,2-bis(β -chloroethylthio)ethane and methylbis(β -chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg, 755
- Adenocarcinoma E 0771, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263
- , chemotherapy of, with 8-azaguanine and flavotin. Woodside and Kelton, 390
- —, effects of phosphoramides on. Sugiura and Stock, 38
 —, glucose-6-phosphatase activity of. Weber and Cantero,
- , growth of, inhibited by N-methylformamide. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- —, incorporation of labeled purines and of formate-C14 into nucleic acid purines of, Bennett, Skipper, Stock, and Rhoads,
- Adenocarcinoma RT37 (Lucké tumor), adaptation of, in amphibia. Tweedell, 410
- Adenocarcinoma RT43, adaptation of, in amphibia. Tweedell,
- Adenosine triphosphatase, activity of, in plasma of normal and lymphomatous chickens. Lesher and Burmester, 537
- Adenosine triphosphate, with hexokinase, lack of effect on dinitrophenol inhibition of glucose oxidation by mouse kidney homogenate. Wenner and Weinhouse, 497
- Adrenal, tumor of, after castration and unilateral adrenalectomy. Martinez and Bittner, 612
- Adrenalectomy, effect on growth of Walker carcinoma 256, with or without treatment with cortisol and ammonium chloride. Selye, 26
- —, unilateral, in mice, effect on postcastrational adrenal tumors. Martinez and Bittner, 612
- Adrenocorticotrophin, effect on malignant lymphoma in mice. Silberberg and Silberberg, 291
- Age, effect on susceptibility to ACTH-induced lymphomas in mice. Silberberg and Silberberg, 291
- Alanine, labeling of, in vivo, in various normal and tumor tissues of rats injected with pyruvate-2-C14. Busch, 365
- β-Alanine-N¹⁵, lack of incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164
- Albumin, decreased level in plasma of mice with Sarcoma 180. Bernfeld and Homburger, 359
- Alcohols, inhibition of diseased plant growths in tissue culture by. Hildebrandt and Riker, 517
- Aldolase, increased content of, in adenocarcinoma of colon and
- rectum, in human. Sibley and Fleisher, 609
 —, in serum of normal and tumor-bearing rats. Sibley, Fleisher, and Higgins, 306
- Allergic inflammatory reaction, lack of effect on development of tumor grafts in mice. Molomut, Spain, Kreisler, and Warshaw, 181
- Alloxan diabetes, effect on survival of mice with Ehrlich ascites carcinoma. Jehl, Mayer, and McKee, 341
- carcinoma. Jeni, Mayer, and McKee, 341
 —, rat, effect of intraperitoneal tumors on severity of. Goranson and Tilser, 626
- —, rat, effect on growth of Novikoff hepatoma or Walker 256 carcinoma. Goranson and Tilser, 626
- Amblystoma punctatum, lathyrism and tumors of notochord in. Levy and Godman, 184
- A-methopterin, effect on formate- C^{14} incorporation into protein and lipids of mouse leukemias in vitro. Williams, Slater, and Winzler, 532
- —, effect on nucleic acid synthesis in leukemic spleen breis, in mice. Balis and Dancis, 603
- —, effect on nucleic acid synthesis in vivo in leukemic mice Balis and Dancis, 603
- , effect on various carcinomas. Tarnowski and Stock, 227
 , with or without citrovorum factor, effect on mouse leukemia L1210. Goldin, Venditti, Humphreys, Dennis, and Mantel, 742
- Amino acids. See also specific amino acids.

- —, free, concentration of, in liver, muscle, and plasma of normal and tumor-bearing rats, after injection of selected amino acids. Greenberg and Sassenrath, 620
- -, free, in liver, effect of ethionine on, in normal and tumor-
- ous rats. Levy, Murphy, and Dunn, 302
 —, free, in tumor C1498 transplanted into resistant and susceptible mice. Roberts and Borges, 697
- -, free and combined, in rat liver, effect of injection of ethionine with and without amino acids on. Dunn and Murphy, 760
- —, metabolism of, in relation to cancer. Greenberg, 421
 —, tolerance to injection of, in normal and tumor-bearing rats. Greenberg and Sassenrath, 620
- Aminopterin, effect on cellular division and differentiation, in rat intestine. Friedman, Sargent, and Drutz, 479
- —, effect on level of serum aldolase in tumor-bearing rats. Sibley, Fleisher, and Higgins, 306
- —, studies to increase the antileukemic specificity of, for mice. Goldin, Venditti, Humphreys, Dennis, Mantel, and Greenhouse, 57
- with or without citrovorum factor, effect on mouse leukemia L1210. Goldin, Venditti, Humphreys, Dennis, and Mantel, 742
- 5-Aminouridine, effect on incorporation of formate-C¹⁴ and of carbamyl aspartate-4-C¹⁴ into rat liver and hepatoma. Werkheiser and Visser, 644
- —, effect on incorporation of radiophosphate into rat liver and hepatoma. Werkheiser, Winzler, and Visser, 641
- Ammonia-N¹⁵, incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164
- Ammonium chloride, and cortisol, effect on growth of Walker carcinoma 256 in normal and adrenalectomized rats. Selye, 26
- Amphibia, lathyrism and tumors of notochord in Amblystoma punctatum. Levy and Godman, 184
- —, transplantation of renal carcinoma in kindred races.

 Tweedell, 410
- Andervont hepatoma, effects of phosphoramides on. Sugiura and Stock, 38
- Anthracene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632
- Antigens, human, detection in human tumors after heterologous transplantation. Kongold and Lineri 150
- gous transplantation. Korngold and Lipari, 159

 Antiserum, produced in rabbits and guinea pigs, effect on mouse mammary tumor agent. Bittner and Imagawa, 464
- Arginine, effect of injection of, in combination with ethionine, on tumor growth, carcass weight, and nonprotein amino acids in rat liver. Dunn and Murphy, 760
- Aromatic hydrocarbons, condensed, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- Ascites tumor, arising spontaneously and transplantable in
- Wistar rat. Aptekman and Bogden, 89

 Ascorbic acid, effect on nucleic acids in tumor tissues. Sokoloff,
- Eddy, Beaumont, Williams, and Powella, 147
 —, inhibition of DOPA autoxidation by. Hirsch, 249
- L-Aspartate-N¹5, incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz. 164
- Aspartic acid, in liver, effect of ethionine on, in normal and tumorous rats. Levy, Murphy, and Dunn, 302
- —, labeling of, in vivo, in various normal and tumor tissues of rats injected with pyruvate-2-C¹⁴. Busch, 365
- 8-Azaguanine, effect on incorporation of P³² into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31—, effect on mouse tumors alone and with flavotin. Wood-
- side and Kelton, 390—, effect on various carcinomas. Tarnowski and Stock, 227
- Azaserine. See O-Diazoacetyl-L-serine.
- 8-Azaxanthine, effect on incorporation of P³² into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31

Bacteria, localization of Clostridium tetani in mouse tumors following intravenous spore administration. Malmgren and Flanigan, 473

Bashford carcinoma 63, effects of phosphoramides on. Sugiura and Stock, 38

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

1,2-Benzanthracene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632

effect on levels of Δ7-cholestenol in mouse skin. Kandutsch and Baumann, 128

electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

, immunological properties of carcinogen-protein conjugates containing. Creech, Havas, and Andre, 726

3,4-Benzphenanthrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

1,2-Benzpyrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

3,4-Benzpyrene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632

effect on level of Δ^7 -cholestenol in mouse skin. Kandutsch and Baumann, 128

electronic structure and carcinogenic activity of. Nagata,

Fukui, Yonezawa, and Tagashira, 233 , feeding of, followed by croton oil or polyethylene glycol-400, effect on carcinogenesis in forestomach of mouse. Berenblum and Haran, 510

, induction of carcinoma of cervix and vagina by. von Haam and Scarpelli, 449

—, induction of sarcomas by, in hypophysectomized rats. Agate, Antopol, Glaubach, Agate, and Graff, 6

—, method for measuring relative potency of, as carcinogen in mouse skin. Horton and Denman, 701

response of sebaceous glands of mice to topical applica-

tion of. Suntzeff, Cowdry, and Croninger, 637
—, tumor induction in forestomach of mouse by feeding of. Berenblum and Haran, 504

Benzylidene analogs, of puromycin, carcinostatic activity of, for mammary adenocarcinomas in mice. Halliday, Bennett, and Oleson, 693

Biosynthesis, of free glycine and serine by tumors. Kit, 715

Biotin, effect alone and with other B vitamins on tumor incidence of Drosophila fed a low-tumor diet. Friedman, Harnly, and Kopac, 375

3-Bis(β -chloroethyl)aminomethyl-4-methoxymethyl-5-hydroxy-6-methylpyridine, effect on various carcinomas. Tarnowski and Stock, 227

1,2-Bis(β -chloroethylthio) ethane, toxicity and carcinostatic activity of, in mice and rats. Sassenrath, Morrison, Larson, and Greenberg, 755

Blood, aldolase level in serum, in normal and tumor-bearing rats. Sibley, Fleisher, and Higgins, 306

, concentration of free amino acids in, after injection of selected amino acids into normal and tumor-bearing rats. Greenberg and Sassenrath, 620

, in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365

, plasma, activity of acid phosphatase, alkaline phospha tase, and adenosine triphosphatase in, in chicken. Lesher and Burmester, 537

, plasma proteins of, influence of tumor growth on. Bernfeld and Homburger, 359

Brain, human tumor of, transplanted into guinea pig eye. Nettleship and Zeman, 246

, in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365

mouse, effect of dinitrophenol on glucose oxidation in homogenates of. Wenner and Weinhouse, 497

Brown-Pearce carcinoma, growth of, in hyperergic rabbit. Appel and Saphir, 357

Bufo fowleri, transplantation of renal carcinoma from R. pipiens into. Tweedell, 410

Butanol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517

Cancer, biochemistry of, isotopic tracer studies on, review. Greenberg, 421

, cytology and cytochemistry, a review. Mellors, 557 , inheritance of, susceptibility to, review. Burdette, 201

Carbamyl aspartate-4-C14, incorporation into rat liver and hepatoma, effect of 2,6-diaminopurine and of 5-aminouri-dine on. Werkheiser and Visser, 644

Carcinogenesis, activity of polycyclic aromatic hydrocarbons

administered simultaneously, in mice. Steiner, 632

—, by ultraviolet light, effect of visible light on, in mice. Griffin, Dolman, Böhlke, Bouvart, and Tatum, 523

, effect of cigarette tar on mouse strains. Wynder, Graham, and Croninger, 445

, immunological inhibition of, properties of carcinogenprotein conjugates. Creech, Havas, and Andre, 726—, induced in colon of mice by 20-methylcholanthrene.

Rack, Kaufman, and Simeone, 722 , in forestomach of mouse, effect of various carcinogenic

hydrocarbons and promoting agents on. Berenblum and Haran, 510 inhibition of sarcomas produced by methylcholanthrene,

in hypophysectomized rats. Moon and Simpson, 403

, in rat, resulting from whole-body radiation. Koletsky and Gustafson, 100

, in relation to the new emotionalism in research, review. Brues, 345 , in skin of mice, method for quantitative measurement of

potencies of complex materials. Horton and Denman, 701 of compounds related to 2-acetylaminofluorene. Miller,

Sandin, Miller, and Rusch, 188 , produced by polymers imbedded subcutaneously. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

significance of mutation in relation to, review on. Burdette, 201

Carcinoma, experimental, of cervix, cytologic and histologic study. von Haam and Scarpelli, 449

—, experimental production of, with cigarette tar, on different mouse strains. Wynder, Graham, and Croninger, 445 , mouse mammary, heterologous transplantation of, effect of lyophilized tumor injections on. Pikovski and Schlesinger,

Carcinoma 1025, effects of phosphoramides on. Sugiura and

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Carcinoma 15091A, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

, effect of chemotherapeutic agents on. Tarnowski and Stock, 227

, incorporation of glycine-2-C14 into. Greenlees and Le-Page, 256

Carcinoma B1, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

Carcinoma BW1898, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

Carcinoma C3HBA. See Adenocarcinoma C3HBA.

Carcinoma E 0771. See Adenocarcinoma E 0771.

Carcinoma RC, effect of chemotherapeutic agents on. Tarnowski and Stock, 227

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Carcinoma TC3H, sublines TD and TL, effect of chemotherapeutic agents on. Tarnowski and Stock, 227

Castration, with unilateral adrenalectomy, effect on adrenal tumor in mice. Martinez and Bittner, 612

Cell fractionation, of liver tumor from rats fed 4-dimethylaminoazobenzene, ribonucleic acid composition of. de Lamirande, Allard, and Cantero, 329

- Cell fractionation, of Walker carcinoma 256, for determination of peroxidase activity, in rat. Neufeld, Lucas, Martin, and Stotz. 550
- Cellophane, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333
- Chemotherapy, combination, of mouse tumors with 8-azaguanine and flavotin. Woodside and Kelton, 390
- —, cytoplasmic lipid granularity and toxicity in screening of compounds in tissue culture. Biesele and Goldhaber, 767
- —, effect of 1,2-bis(β-chloroethylthio)ethane and of methylbis(β-chloroethyl)amine against various tumors in mice and rats. Sassenrath, Morrison, Larson, and Greenberg, 755
- , of mouse mammary carcinomas. Tarnowski and Stock,
- Chicken, early development of squamous-cell carcinoma in methyl-cholanthrene-painted skin of. Knight and Taber, 583—, electron microscope studies of Rous sarcoma in. Gaylord, 80
- —, lack of effect of comb-mucoid extract on carcinogenesis in skin of. Knight and Taber, 583
- —, normal and lymphomatous, activity of acid phosphatase, alkaline phosphatase, and adenosine triphosphatase in plasma of. Lesher and Burmester, 537
- —, spontaneous regression of hemangioma in. Rigdon, 77
 —, tumor of, lesion syndromes correlated with times of death after inoculation of lymphoid tumor. Julian, 493
- Δ⁷-Cholestenol, level in skin of rats and mice treated with carcinogens and other chemicals. Kandutsch and Baumann, 128
- Cholesterol, content of, in the intestine of normal and tumorbearing rats. Bloor and Haven, 173
- Choline, C¹⁴ content of, in rat liver, after injection of methyl-C¹⁴-bis(β-chloroethyl)amine. Trams and Klopp, 617
- C¹⁴-bis(β-chloroethyl)amine. Trams and Klopp, 617
 —, radioactive, in liver after administration of 4-dimethylaminoazobenzene. Miller, MacDonald, and Miller, 320
- Chrysene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632
- —, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- Cigarette tar, experimental carcinoma with, in different mouse strains. Wynder, Graham, and Croninger, 445
- Citrovorum factor, administered subsequent to aminopterin, in treatment of mouse leukemia. Goldin, Venditti, Humphreys, Dennis, Mantel, and Greenhouse, 57
 - —, given with A-methopterin or aminopterin, effect on mouse leukemia L1210. Goldin, Venditti, Humphreys, Dennis, and Mantel, 742
- Clostridium tetani, localization of vegetative form of, in mouse tumors following intravenous spore administration. Malmgren and Flanigan, 473
- Colchicine, effect on cellular division and differentiation, in rat intestine. Friedman, Sargent, and Drutz, 479
- Colon, in mice, effect of 20-methylcholanthrene applied to. Rack, Kaufman, and Simeone, 722
- Cortisol, effect on growth of Walker carcinoma 256 in normal and adrenal ectomized rats. Selye, 26
- Cortisone, effect on sarcoma transplantation in hamster. Lemon and Smakula, 273
- —, effect on various carcinomas. Tarnowski and Stock, 227 Creatine, C¹⁴ content of, in rat liver, after injection of methyl-
- C¹⁴-bis(β-chloroethyl)amine. Trams and Klopp, 617 Crocker rat carcinoma, effect of ascorbic acid and glucoascorbic acid on nucleic acids of. Sokoloff, Eddy, Beaumont, Wil-
- liams, and Powella, 147

 Croton oil, administered with cigarette tar, effect on carcinoma production in mice. Wynder, Graham, and Croninger, 445
- production in mice. Wynder, Graham, and Croninger, 445—, effect on level of Δ^7 -cholestenol in mouse skin. Kandutsch and Baumann, 128
- —, influence on carcinogenesis in forestomach of mouse after hydrocarbon feeding. Berenblum and Haran, 510
- -----, promotion of skin tumors induced by 2-acetylaminofluorene by. Ritchie and Saffiotti, 84
- Cysteine, administration with methionine and 4-(p-dimethylaminostyryl)quinoline methochloride in diet, lack of effect

- on regression of Lymphoma 8 in rats. Bahner, 588
- —, effect on tumor induction in Drosophila by x-rays or tryptophan. Plaine, 151
- —, inhibition of DOPA autoxidation by. Hirsch, 249
- Cysteine desulfhydrase, lack of inhibition of, by deoxypyridoxine, with or without testosterone. Dietrich and Shapiro, 133
- Cytochrome oxidase, alterations in, during necrosis of mouse liver in vitro Berenham Chang Retz and Stowell 1
- liver in vitro. Berenbom, Chang, Betz, and Stowell, 1—, in mitochondria of Walker carcinoma 256. Neufeld, Lucas, Martin, and Stotz, 550
- Cytoplasmic lipid granularity, in tissue culture cells. Biesele and Goldhaber, 767
- Dacron, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich,
- Deoxypyridoxine, inhibition of various enzyme systems by, with or without testosterone. Dietrich and Shapiro, 183
- Deoxyribonucleic acid. See also Nucleic acids.
- —, content of, in Yoshida sarcoma, effect of radiation on.
 Gardella and Lichtler, 529
- —, effect of various antitumor agents on incorporation of P³² into. Davidson and Freeman, 31
- —, effect of ascorbic acid and p-glucoascorbic acid on, in various tumor tissues. Sokoloff, Eddy, Beaumont, Williams,
- and Powella, 147

 —, incorporation of P³² into. Nygaard and Rusch, 240

 —, increased in exfoliated malignant cells in experimental carrinoma of cervix and vagina in mice, you Haam and
- carcinoma of cervix and vagina in mice. von Haam and Scarpelli, 449
- —, in relation to cancer cytology and cytochemistry, a review. Mellors, 557
- —, of mouse tissues, effect of tumor fractions on uptake of adenine-8-C¹⁴ into. Furlong, Watson, Davis, and Griffin, 710
- Desthiobiotin, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382
- Diabetes, alloxan, effect on survival of mice with Ehrlich ascites carcinoma. Jehl, Mayer, and McKee, 341
- 2,6-Diaminopurine, effect on growth of E. coli. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- —, effect on incorporation of formate-C¹⁴ and of carbamyl aspartate-4-C¹⁴ into rat liver and hepatoma. Werkheiser and Visser, 644
- —, effect on incorporation of P³² into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31
- —, effect on incorporation of radiophosphate into rat liver and hepatoma. Werkheiser, Winzler, and Visser, 641
 —, effect on various carcinomas. Tarnowski and Stock, 227
- —, effect on various carcinomas. Tarnowski and Stock, 227—, inhibition of *E. coli* by formamide prevented by. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- 2,6-Diaminopurine-2-C¹⁴, incorporation into pentosenucleic acids of various hamster tissues and of heterologous human tumor implants. Balis, Praag, and Brown, 673
- —, incorporation into polynucleotides by a variety of tumors and host intestine and liver. Bennett, Skipper, Stock, and Rhoads, 485
- 2,6-Diaminopurine-riboside, inhibition of E. coli by formamide prevented by. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- O-Diazoacetyl-L-serine, effect on various carcinomas. Tarnowski and Stock, 227
- 1,2,5,6-Dibenzanthracene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632
- ——, effect on level of Δ⁷-cholestenol in mouse skin. Kandutsch and Baumann, 128
- —, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 283
- —, immunological properties of carcinogen-protein conjugates containing. Creech, Havas, and Andre, 726
- —, lack of tumor induction in forestomach of mouse by single feeding of. Berenblum and Haran, 504

- 1,2,7,8-Dibenzanthracene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- 2,3,7,8-Dibenzanthracene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira,
- 1,2,3,4-Dibenzphenanthrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira,
- 1,2,5,6-Dibenzphenanthrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- 3.4.5.6-Dibenzphenanthrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira,
- 1,2,3,4-Dibenzpyrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- 3,4,8,9-Dibenzpyrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233
- 2,4-Dichlorophenol, effect on peroxidase activity of Walker carcinoma 256 homogenate. Neufeld, Lucas, Martin, and Stotz, 550
- Diet, vitamin C-free, effect on DNA content in fibrosarcoma of guinea pigs. Sokoloff, Eddy, Beaumont, Williams, and Powella, 147
- 4-Diethylaminoazobenzene, effect on renal lesions in rat. Miller, MacDonald, and Miller, 320
- N, N-Diethyl-Ni'N"-diethylene phosphoramide, effect on the growth of various rat and mouse tumors. Sugiura and Stock, 38
- N,N-Diethyl-p-phenylene diamine, effect on renal lesions in rat. Miller, MacDonald, and Miller, 320
- Differentiation, effect of irradiation and chemotherapeutic agents on, in rat intestine. Friedman, Sargent, and Drutz,
- Dihydroorotic acid, as an intermediate in pyrimidine synthesis. Lagerkvist, Reichard, Carlsson, and Grabosz, 164
- Dihydrouracil, lack of incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164
- o-Dihydroxyphenol, with polyphenoloxidase, effect on glucose metabolism of Ehrlich adenocarcinoma. Kertész and Albano, 394
- 3,4-Dihydroxyphenylalanine, autoxidation of, inhibited by normal and neoplastic tissues. Hirsch, 249
- Dihydroxyphenylalanine decarboxylase, inhibition by deoxypyridoxine with or without testosterone. Dietrich and Sha-
- 1,4-Dimethanesulfonoxybutane, effect on incorporation of P³² into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31
- 4-(or p-) Dimethylaminoazobenzene, glucose-6-phosphatase activity in livers of rats fed. Weber and Cantero, 105
- , rat liver tumors induced by, histochemical determination of succinic dehydrogenase in. Pearson and Defendi, 593
- , ribonucleic acid composition of rat liver tumor induced by. de Lamirande, Allard, and Cantero, 329
- 4-Dimethylaminoazobenzene-N-methyl-C14, inability to act as major source of labile methyl groups. Miller, MacDonald, and Miller, 320
- 4-(p-Dimethylaminostyryl) quinoline methiodide, effect of compounds related to, on growth of Lymphoma 8 in rats. Bahner, 588
- 4-(p-Dimethylaminostyryl) quinoline methochloride, effect on growth of Lymphoma 8 in rats, comparison of oral and subcutaneous administration of. Bahner, 588
- 7,12-Dimethylbenzanthracene, method for measuring relative potency of, as carcinogen in mouse skin. Horton and Denman, 701
- 9,10-Dimethyl-1,2-benzanthracene, effect on level of Δ^7 -cholestenol in mouse skin. Kandutsch and Baumann, 128
- -, feeding of, followed by croton oil or polyethylene glycol-

- 400, effect on carcinogenesis in forestomach of mouse. Berenblum and Haran, 510
- , immunological properties of carcinogen-protein conju
 - gates containing. Creech, Havas, and Andre, 726—, promotion of skin tumors induced by 2-acetylaminofluorene by. Ritchie and Saffiotti, 84
- , response of sebaceous glands of mice to topical applica-
- tion of. Suntzeff, Cowdry, and Croninger, 637
 —, tumor induction in forestomach of mouse by feeding of. Berenblum and Haran, 504
- N,N-Dimethylformamide, effect on growth of E. coli. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- 2,4-Dinitrophenol, effect on oxidation of glucose-C14 in normal and tumor tissue slices and homogenates of mouse. Wenner and Weinhouse, 497
- DOPA. See 3,4-Dihydroxyphenylalanine.
- Drosophila melanogaster, effects of vitamin analogs on tumor penetrance in a tu-e strain of. Friedman, Harnly, and Kopac, 382
- , effects of vitamin variations on tumor incidence of. Friedman, Harnly, and Kopac, 375
- , induction of tumors by x-rays or tryptophan in, counteracted by cysteine. Plaine, 151
- Duck, spontaneous regression of hemangioma in. Rigdon, 77
- Dulcitol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517
- Ehrlich ascites tumor, biogenesis of pentosenucleic acid pyrimidines in. Lagerkvist, Reichard, Carlsson, and Grabosz, 164
- biosynthesis of free glycine and serine from nonamino acid precursors by. Kit, 715
- , effect of in vivo pretreatment with nucleoprotein from, on subsequent injection of, in mice. Horn, 663
- growth of Mengo encephalitis virus in tissue culture of cells of. Flanagan and Colter, 657
- , growth of, effect of formamides and related compounds on. Furst, Cutting, and Gross, 294
- influence of obese-hyperglycemic syndrome and of alloxan diabetes on survival of mice with. Jehl, Mayer, and
- —, Lettré, in mouse, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497
- Ehrlich carcinoma, ascitic and solid forms, effect of 1,2-bis(β chloroethylthio) ethane and methylbis $(\beta$ -chloroethyl) amine on mice bearing. Sassenrath, Morrison, Larson, and Green-
- berg, 755 , ascitic and solid forms, effects of phosphoramides on. Sugiura and Stock, 38
- -, effect of addition of terminal respiratory system on glucose metabolism of. Kertész and Albano, 394
- , incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,
- Electrolytes, content of, in various human tumors and normal tissues. Waterhouse, Terepka, and Sherman, 544
- Electronic structure, of condensed aromatic hydrocarbons, in relation to carcinogenic activity. Nagata, Fukui, Yonezawa, and Tagashira, 233
- Electron microscopy. See Microscopy.
- Electrophoresis, of plasma proteins in mice with Sarcoma 180. Bernfeld and Homburger, 359
- Embryonic tissues, characteristics of, after heterologous transplantation. Greene, 170
- Ergastoplasm, of liver tumors, studied by electron microscopy. Howatson and Ham, 62
- Erythritol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517
- Escherichia coli, effect of formamide, urethan, 2,6-diamino-purine, and N,N-dimethylformamide on growth of. Skipper, Schabel, Binns, Thomson, and Wheeler, 143
- Esterase, alterations in, during necrosis of mouse liver in vitro. Berenbom, Chang, Betz, and Stowell, 1
- Estrogen, relation of, to mutagenesis and carcinogenesis, review on. Burdette, 201

Ethanol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517

Ethionine, effect on free amino acids in liver of normal and tumorous rats. Levy, Murphy, and Dunn, 302

-, injected alone or with amino acids, effect on tumor growth, carcass weight, and nonprotein amino acids in rat liver. Dunn and Murphy, 760

Fibrosarcoma, induction of, in rats, by polyethylene implants. Bering, McLaurin, Lloyd, and Ingraham, 300

Fibrosarcoma AL-2, effect of ascorbic acid and glucoascorbic acid on nucleic acids of. Sokoloff, Eddy, Beaumont, Williams, and Powella, 147

Fibrosarcoma G1-46, metastasis of, after implantation in the tail of mice. Baserga and Baum, 52

Fibrosarcoma HE 8971, localization of vegetative form of Clostridium tetani in, following intravenous spore administration. Malmgren and Flanigan, 473

Fibrosarcoma S621, lack of effect on development of, by inflammatory reaction at site of implantation. Molomut, Spain, Kreisler, and Warshaw, 181

Flavotin, effect on mouse tumors alone and with 8-azaguanine. Woodside and Kelton, 390

Flexner-Jobling carcinoma, effects of phosphoramides on. Sugiura and Stock, 38

, incorporation of glycine-2-C14 into purines of acid-soluble

nucleotides of. Edmonds and LePage, 93

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

, in rats, lack of effect on protein excretion in urine. Rumsfeld and Baumann, 774

-, metabolism of pyruvate-2-C14 by normal and tumor tissues in rats bearing. Busch, 365

Fluoride, effect on oxidation of glucose-C14 in normal and tumor tissue slices and homogenates of mouse. Wenner and Weinhouse, 497

Folic acid, antagonists of, in treatment of mouse leukemia L1210. Goldin, Venditti, Humphreys, Dennis, and Mantel,

Forestomach, in mice, effect of 20-methylcholanthrene applied to. Rack, Kaufman, and Simeone, 722

Formamide, and related compounds, effect on growth of Ehrlich ascites tumor. Furst, Cutting, and Gross, 294—, effect on growth of E. coli. Skipper, Schabel, Binns,

Thomson, and Wheeler, 143

Formate-C14, effect of A-methopterin on incorporation of, into protein and lipids of mouse leukemia in vitro. Williams, Slater, and Winzler, 532

, incorporation into glycine and serine by tumors. Kit, 715 incorporation into nucleic acids of spleens of normal and leukemic mice, with and without A-methopterin. Balis and Dancis, 603

, incorporation into polynucleotides by variety of tumors and host intestine and liver. Bennett, Skipper, Stock, and Rhoads, 485

, incorporation into rat liver and hepatoma, effect of 2,6 diaminopurine and of 5-aminouridine on. Werkheiser and Visser, 644

Gardner lymphosarcoma. See Lymphosarcoma 6C3HED Gard-

Genetics, demonstration of tenth allele at histocompatibility-2 locus in the mouse. Allen, 315

a-Globulin, increased level in plasma of mice with Sarcoma 180. Bernfeld and Homburger, 359

D-Glucoascorbic acid, effect on nucleic acids in tumor tissues. Sokoloff, Eddy, Beaumont, Williams, and Powella, 147

Glucose, blood and urine level of, in alloxan diabetic mice with Ehrlich ascites tumor. Jehl, Mayer, and McKee, 341

, metabolism of, in Ehrlich adenocarcinoma, effect of addition of terminal respiratory system on. Kertész and Albano, 394

, radioactive, effect of dinitrophenol and fluoride on oxidation of, in normal and tumor tissues, in mouse. Wenner and Weinhouse, 497

, radioactive, oxidation of, by mouse liver and hepatoma slices. Abraham, Hill, and Chaikoff, 177

Glucose-1-C¹⁴, oxidation of, by mouse liver and hepatoma slices. Abraham, Hill, and Chaikoff, 177

, incorporation of, into glycine and serine by tumors. Kit,

Glucose-2-C14, incorporation of, into glycine and serine by tumors. Kit, 715

Glucose-6-C¹⁴, oxidation of, by mouse liver and hepatoma slices. Abraham, Hill, and Chaikoff, 177

, incorporation of, into glycine and serine by tumors. Kit, 715

Glucose-6-phosphatase, activity in certain normal, precancerous, and neoplastic tissues. Weber and Cantero, 105

-, activity in normal, regenerating, fetal, newborn, and neoplastic rat liver. Weber and Cantero, 679

Glutamic acid, in liver, effect of ethionine on, in normal and

tumorous rats. Levy, Murphy, and Dunn, 302
—, in Tumor C1498 transplanted into resistant and susceptible mice. Roberts and Borges, 697

, labeling of, in vivo, in various normal and tumor tissues of rats injected with pyruvate-2-C14. Busch, 365

Glutamine, in Tumor C1498 transplanted into resistant and susceptible mice. Roberts and Borges, 697

Glycerol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517

Glycine, biosynthesis of, by tumors from nonamino acid precursors. Kit, 715

, effect of injection of, in combination with ethionine, on tumor growth, carcass weight, and nonprotein amino acids in rat liver. Dunn and Murphy, 760

, effect of injection of large doses of, on other amino acids, in normal and tumor-bearing rats. Greenberg and Sassenrath, 620

, inhibition of DOPA autoxidation by. Hirsch, 249 , in liver, effect of ethionine on, in normal and tumorous

rats, Levy, Murphy, and Dunn, 302 Glycine-1-C14, incorporation of, into pentosenucleic acids of

various hamster tissues and of heterologous human tumor implants. Balis, Praag, and Brown, 673

Glycine-2-C14, incorporation into normal and tumorous tissues of mice. Greenlees and LePage, 256

, incorporation into purines of acid-soluble nucleotides.

Edmonds and LePage, 93

Glycolysis, aerobic, in Ehrlich adenocarcinoma, in vitro inhibition of, upon addition of terminal respiratory system. Kertész and Albano, 394

Golgi material, of liver tumors, studied by electron microscopy. Howatson and Ham, 62

Gonadectomy, effect of testosterone propionate on gonadotrophic level following. Vermande-Van Eck and Chang, 280—, in male and female mice, effect on induction of leukemia by methylcholanthrene. Kirschbaum, Liebelt, and Falls, 685

Gonadotrophin, effect of testosterone propionate on. Vermande-Van Eck and Chang, 280

Grand epidermoid carcinoma, effects of phosphoramides on. Sugiura and Stock, 38

Granuloma pouch, growth of Walker carcinoma 256 in. Selye,

Guanine, isolated from mouse lymphoma protein, effect of Amethopterin on incorporation of formate-C14 into. Williams, Slater, and Winzler, 532

of acid-soluble nucleotides, incorporation of glycine-2-C14 into. Edmonds and LePage, 93

Guanine-2-C14, incorporation into polynucleotides by a variety of tumors and host intestine and liver. Bennett, Skipper, Stock, and Rhoads, 485

Guanine-8-C14, incorporation of, into pentosenucleic acids of

various hamster tissues and of heterologous human tumor implants. Balis, Praag, and Brown, 673

Guanylic acid, level of, in cell fractions of normal and tumorous rat liver. de Lamirande, Allard, and Cantero, 329

H-2', tenth allele at histocompatibility-2 locus in mouse. Allen, 315

Hair, cycle in mice, in relation to degeneration of sebaceous glands caused by carcinogens. Suntzeff, Cowdry, and Croninger, 637

Hamster, bearing human tumor implants, pentosenucleic acid synthesis in various tissues of. Balis, Praag, and Brown, 678—, factors affecting sarcoma growth in. Lemon and Smakula, 278

Harding-Passey melanoma, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

—, effects of phosphoramides on. Sugiura and Stock, 38 —, incorporation of labeled purines and of formate-C¹⁴ into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

Heart, in vivo metabolism of pyruvate-2- C^{14} by, in tumor-bearing rats. Busch, 365

—, lesion of, after inoculation of lymphoid tumor into chicken. Julian, 493

—, mouse, effect of dinitrophenol on glucose oxidation in homogenates of. Wenner and Weinhouse, 497

Hemangioma, spontaneous regression of, in duck and chicken. Rigdon, 77

Hepatectomy, partial, effect on growth of various tumors in rats. Paschkis, Cantarow, Stasney, and Hobbs, 579

Hepatocarcinoma C954, oxidation of C¹⁴-labeled glucose by. Abraham, Hill, and Chaikoff, 177

Hepatoma, induced by p-dimethylaminoazobenzene in rats, histochemical determination of succinic dehydrogenase in Pearson and Defendi, 593

—, induced in rats by 3'-methyl-4-dimethylaminoazobenzene, effect on protein excretion in the urine. Rumsfeld and Baumann, 774

—, rat, tumor of, effect of 2,6-diaminopurine and of 5-aminouridine on incorporation of formate-C¹⁴ and carbamyl aspartate-4-C¹⁴ into. Werkheiser and Visser, 644

---, transplantable (Fisher), effect of partial hepatectomy on growth of. Paschkis, Cantarow, Stasney, and Hobbs, 579

Hepatoma 98/15, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497

—, localization of vegetative form of *Clostridium tetani* in, following intravenous spore administration. Malmgren and Flanigan, 473

Hexokinase, with ATP, lack of effect on dinitrophenol inhibition of glucose oxidation by mouse kidney homogenate. Wenner and Weinhouse, 497

Histidine, inhibition of DOPA autoxidation by. Hirsch, 249

Histocompatibility-2 locus, demonstration of tenth allele at, in the mouse. Allen, 315

HN2. See Methylbis(β-chloroethyl)amine.

Hodgkin's disease, characteristics of virus isolated from lymph nodes of patients with. Bostick and Hanna, 650

Horse serum residue, effect on proliferation of strain L clone 929 cells from the mouse in tissue culture. Fioramonti, Bryant, McQuilkin, Evans, Sanford, and Earle, 763

Host-tumor relationships, protein turnover in study of. Greenlees and LePage, 256

Human, characteristics of a virus isolated from Hodgkin's disease lymph nodes. Bostick and Hanna, 650

—, detection of antigens in human tumors after heterologous transplantation. Korngold and Lipari, 159

——, experimental production of metaplasia in apocrine sweat gland. Shelley and Cahn, 671 —, heterologous transplantation of brain tumor of. Nettleship and Zeman, 246

—, increased content of aldolase in adenocarcinoma of colon and rectum. Sibley and Fleisher, 609

—, tumors, analysis for electrolyte, water, and nitrogen content. Waterhouse, Terepka, and Sherman, 544

Human embryonal rhabdomyosarcoma #1, culture and morphological characteristics of. Moore, Sabachewsky, and Toolan, 598

Human epidermoid carcinoma HEP #1, culture and morphological characteristics of. Moore, Sabachewsky, and Toolan, 508

Human epidermoid carcinoma HEP #2, culture and morphological characteristics of. Moore, Sabachewsky, and Toolan, 598

Human epidermoid carcinoma HEP #3, culture and morphological characteristics of. Moore, Sabechewsky, and Toolan, 508

—, implanted into hamsters, pentosenucleic acid synthesis in Balis, Pragg, and Brown, 673

in. Balis, Praag, and Brown, 673

—, persistence of human antigens in, after heterologous transplantation. Korngold and Lipari, 159

Human sarcoma HS #1, description of, in culture. Moore, Sabachewsky, and Toolan, 598

—, implanted into hamsters, pentosenucleic acid synthesis in. Balis, Praag, and Brown, 673

—, persistence of human antigens in, after heterologous transplantation. Korngold and Lipari, 159

Hydrocarbons, condensed aromatic, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

Hydrocortisone. See Cortisol.

Hyperergic rabbit, growth of Brown-Pearce carcinoma in. Appel and Saphir, 357

Hypophysectomy, induction of sarcomas by 3,4-benzpyrene in rats after. Agate, Antopol, Glaubach, Agate, and Graff, 6—, inhibition of methylcholanthrene carcinogenesis by, in rats. Moon and Simpson, 403

Hypoxanthine-8-C¹⁴, incorporation of, into pentosenucleic acids of various hamster tissues and of heterologous human tumor implants. Balis, Praag, and Brown, 673

Immunity, to Shope papilloma, effect of in vitro infection of skin with virus. Greene, 124

Immunological properties, of carcinogen-protein conjugates containing polycyclic aromatic hydrocarbons and substituted stilbenes. Creech, Havas, and Andre, 726

Inflammatory reaction, lack of effect on development of tumor grafts in mice. Molomut, Spain, Kreisler, and Warshaw, 181

Intestine, hamster, pentosenucleic acid synthesis in. Balis,
 Praag, and Brown, 673
 —, in vivo metabolism of pyruvate-2-C¹⁴ by, in tumor-bear-

ing rats. Busch, 365
—, lipid content and weight of, in normal and tumor-bearing

---, lipid content and weight of, in normal and tumor-bearing rats. Bloor and Haven, 173

—, normal, incorporation of labeled purines and of formate-C¹⁴ into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

—, rat, isolation of free nucleotides from mucosa of, following P³² administration. Daoust and Cantero, 734

Iodine-I¹³¹, thyroidectomy of mice by, effect on pituitary tumors. Dent, Gadsden, and Furth, 70

Isonicotinyl hydrazide, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Ivalon, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Jensen sarcoma, effects of phosphoramides on. Sugiura and Stock, 38

—, incorporation of labeled purines and of formate-C¹⁴ into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

- Jensen Sarcoma, lack of effect of partial hepatectomy on growth of. Paschkis, Cantarow, Stasney, and Hobbs, 579—, metabolism of pyruvate-2-C14 by normal and tumor tis-
- sues in rats bearing. Busch, 365
- Kel-F, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333
- Kidney, hamster, pentosenucleic acid synthesis in. Balis, Praag, and Brown, 673
- , in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365
- lesion of, after inoculation of lymphoid tumor into chicken. Julian, 493
- , mouse, effect of dinitrophenol on glucose oxidation in homogenates of. Wenner and Weinhouse, 497
- Krebs-2 carcinoma, ascitic form, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497 ascitic form, effects of phosphoramides on. Sugiura and Stock, 38
- solid and ascitic forms, effect of chemotherapeutic agents on. Tarnowski and Stock, 227
- Lactate, labeling of, in vivo, in various normal and tumor tissues of rats injected with pyruvate-2-C14. Busch, 365
- Lathyrus factor, in the production of tumors in salamander. Levy and Godman, 184
- Lettré Ehrlich ascites tumor, in mouse, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse,
- L-Leucylglycine peptidase, alterations in, during necrosis of mouse liver in vitro. Berenbom, Chang, Betz, and Stowell, 1
- Leukemia, growth on second transfer into unrelated strains of
- mice. Hoecker, Pizarro, Brncic, and Gasic, 9
 —, induced by methylcholanthrene, influence of gonadectomy and androgenic hormone on, in mice. Kirschbaum, Liebelt, and Falls, 685
- , induced by methylcholanthrene in mice, effect of thymectomy on. Kirschbaum and Liebelt, 689
- , resistance factor for, transmitted by milk of old STOLI female mice. MacDowell, 23
- , resistance factor for, transmitted by old STOLI female mice. MacDowell, 19
- , line A, transfer into unrelated strains of mice. Hoecker, Pizarro, Brncic, and Gasic, 9
- Leukemia I and I/A, effects of A-methopterin in vitro and in vivo on nucleic acid synthesis in mice bearing. Balis and Dancis, 603
- Leukemia AKR, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263
- Leukemia C57-T11, lymphoid, effect of 1,2-bis(β-chloroethylthio)ethane and methylbis(β-chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg, 755
- Leukemia C-1498, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263
- , myeloid, effect of 1,2-bis(β-chloroethylthio)ethane and methylbis(β -chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg, 755
- , solid and ascitic forms, transplanted into resistant and susceptible mice, free amino acids in. Roberts and Borges,
- Leukemia L1210, effect of aminopterin and citrovorum factor on. Goldin, Venditti, Humphreys, Dennis, Mantel, and Greenhouse, 57
- , incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,
- in mouse, treatment of, with antagonists of folic acid. Goldin, Venditti, Humphreys, Dennis, and Mantel, 742
- Leukemia P1534, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263
- Leukocyte level, in rat, effect of various dietary supplements on. Miller, MacDonald, and Miller, 320
- Lewis bladder carcinoma, effects of phosphoramides on. Sugiura and Stock, 38

- Lewis lung carcinoma, effects of phosphoramides on. Sugiura and Stock, 38
- Lewis sarcoma T241, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485
- Light, visible, effect on carcinogenicity of ultraviolet light, in mice. Griffin, Dolman, Böhlke, Bouvart, and Tatum, 523
- Lipid granularity, cytoplasmic, in tissue culture of mouse fibroblasts and Sarcoma 180 cells. Biesele and Goldhaber, 767
- Lipids, content of, in intestines of normal and tumor-bearing rats. Bloor and Haven, 173
- , of mouse leukemia, effect of A-methopterin on formate-C14 incorporation into. Williams, Slater, and Winzler, 532
- Liver carcinoma LT 124, study by electron microscopy of. Howatson and Ham, 62
- , chemical changes associated with necrosis of, in vitro. Berenbom, Chang, Betz, and Stowell, 1
- , concentration of free amino acids in, after injection of selected amino acids into normal and tumor-bearing rats. Greenberg and Sassenrath, 620
- , disease of, from a "labile methyl"-free diet, influence of vitamin B12 on. Bennett, Hellerman, and Donnelly, 398 , effect of ethionine on free amino acids of, in normal and
- tumorous rats. Levy, Murphy, and Dunn, 302
 —, effect of partial hepatectomy on growth of various tumors in rats. Paschkis, Cantarow, Stasney, and Hobbs, 579 , glucose-6-phosphatase activity of. Weber and Cantero,
- -, hamster, pentosenucleic acid synthesis in. Balis, Praag,
- and Brown, 673 , incorporation of glycine-2-C14 into purines of acid-soluble
- nucleotides of. Edmonds and LePage, 93
 —, in vivo metabolism of pyruvate-2-C¹⁴ by, in tumor-bear-
- ing rats. Busch, 365 lesion of, after inoculation of lymphoid tumor into chicken. Julian, 493
- , mouse, effect of dinitrophenol on glucose oxidation in homogenates of. Wenner and Weinhouse, 497
- —, mouse, effect of tumor fractions on uptake of adenine-8-C14 into deoxyribonucleic acids of. Furlong, Watson, Davis,
- and Griffin, 710 mouse, lack of effect of A-methopterin on incorporation of formate-C14 into protein of. Williams, Slater, and Winzler,
- —, mouse, oxidation of C14-labeled glucose by. Abraham, Hill, and Chaikoff, 177
- —, normal, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and
- Rhoads, 485 , nuclei of, P32 incorporation into nucleic acids and proteins of, in normal and azo dye-fed rats. Ward and Griffin,
- 456 , rat, C¹⁴ distribution in choline, creatine, and methionine of, after injection of methyl-C¹⁴-bis(β-chloroethyl)amine.
- Trams and Klopp, 617

 —, rat, effect of 2,6-diaminopurine and of 5-aminouridine on incorporation of formate-C¹⁴ and carbamyl aspartate-4-C¹⁴ into. Werkheiser and Visser, 644
- , rat, effect of 2,6-diaminopurine and of 5-aminouridine on incorporation of radiophosphate into. Werkheiser, Winzler,
- and Visser, 641 rat, effect of ethionine alone or with amino acids on nonprotein amino acids of. Dunn and Murphy, 760
- -, rat, glucose-6-phosphatase activity in normal, regenerating, fetal, newborn, and neoplastic. Weber and Cantero, 679 rat, isolation of free nucleotides from, following P32 ad-
- ministration. Daoust and Cantero, 784

 —, regenerating, incorporation of P³² into nucleic acids of. Nygaard and Rusch, 240
- , regeneration after partial hepatectomy enhanced in presence of growing tumor. Paschkis, Cantarow, Stasney, and Hobbs, 579
- , tumors of, examination by electron microscopy. Howatson and Ham, 62
- , tumor of, induced by 4-dimethylaminoazobenzene, ribonucleic acid composition of. de Lamirande, Allard, and Cantero, 329

, tumors of, induced in rats by 4-dimethylaminoazobenzene, isolation of free nucleotides from, following P32 administration. Daoust and Cantero, 734

, tumor of, in rat, effect of alloxan diabetes on growth of.

Goranson and Tilser, 626

tumor of, in rat, effect of 2,6-diaminopurine and of 5aminouridine on incorporation of formate-C¹⁴ and carbamyl aspartate-4-C¹⁴ into. Werkheiser and Visser, 644

, tumor of, in rat, effect of 2,6-diaminopurine and of 5aminouridine on incorporation of Werkheiser, Winzler, and Visser, 641 on incorporation of radiophosphate into.

—, tumor of, in rat, induced by p-dimethylaminoazobenzene, histochemical determination of succinic dehydrogenase in. Pearson and Defendi, 593

Lumiflavin, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Lung, metastatic tumors of fibrosarcoma G1-46 in, from primary tumor in tail. Baserga and Baum, 52

mouse, effect of tumor fractions on uptake of adenine-8-C14 into deoxyribonucleic acids of. Furlong, Watson, Davis, and Griffin, 710

Lymphatic system, experimental studies on the spread of cancer in, in rabbits. Zeidman, 719

Lymphatic tissues, formation of labeled glycine from ribose-C14 by. Kit, 715

Lymph nodes, characteristics of a virus isolated from, in cases of Hodgkin's disease. Bostick and Hanna, 650

Lymphoid tumor RPL 16, in chicken, lesion syndromes correlated with time of death after inocolation. Julian, 493

Lymphoma, malignant, in mice, effect of adrenocorticotrophin on. Silberberg and Silberberg, 291

Lymphoma 8, in rats, effect of compounds related to 4-(pdimethylaminostyryl)quinoline methiodide on growth of. Bahner, 588

Lymphoma II, chemotherapy of, with 8-azaguanine and flavotin. Woodside and Kelton, 390

Lymphoma L1210, effect of A-methopterin on formate-C14 incorporation in vitro into protein and lipids of. Williams, Slater, and Winzler, 532

Lymphoma RPL 12, plasma phosphatase activities of chickens with. Lesher and Burmester, 537

Lymphosarcoma 6C3HED Gardner, ascitic and solid forms, effect of 1,2-bis(β -chloroethylthio)ethane and methylbis(β chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg, 755

, ascitic form, biosynthesis of free glycine and serine from nonamino acid precursors by. Kit, 715

, effects of phosphoramides on. Sugiura and Stock, 38

glucose-6-phosphatase activity of. Weber and Cantero, 105

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Lymphosarcoma Mecca, ascitic form, biosynthesis of free glycine and serine from nonamino acid precursors by. Kit, 715

effects of phosphoramides on. Sugiura and Stock, 38 incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Lymphosarcoma Murphy-Sturm, effects of phosphoramides on. Sugiura and Stock, 38

incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

-, lack of effect of partial hepatectomy on growth of. Paschkis, Cantarow, Stasney, and Hobbs, 579

Lymphosarcoma Patterson, effects of phosphoramides on. Sugiura and Stock, 38

incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Lysine, effect of injection of, in combination with ethionine, on tumor growth, carcass weight, and nonprotein amino acids in rat liver. Dunn and Murphy, 760

, in liver, effect of ethionine on, in normal and tumorous rats. Levy, Murphy, and Dunn, 302

Mammary gland tumors, mouse, carcinostatic activity of 15 benzylidene analogs of puromycin for. Halliday, Bennett, and Oleson, 693

mouse, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497

, spontaneous, localization of vegetative form of Clostridium tetani in, following intravenous spore administration. Malmgren and Flanigan, 473

, spontaneous and transplanted, effect of tumor size on transplantability and lethality, in mice. Martinez, Miroff,

and Bittner, 469

, transplantable, effect on uptake of adenine-8-C14 into deoxyribonucleic acids of mouse tissues. Furlong, Watson, Davis, and Griffin, 710

transplanted and spontaneous, in mice, studies on heatstable accelerant from. Martinez, Miroff, and Bittner, 442 transplantation time of, acceleration in mice pretreated with tumor tissue preparation. Miroff, Martinez, and Bitt-

Mammary tumor agent, effect of source of, on neutralization of agent with antisera. Bittner and Imagawa, 464

Mannitol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517

Marigold, crown gall, inhibition of growth in tissue culture by alcohols. Hildebrandt and Riker, 517

Mecca lymphosarcoma. See Lymphosarcoma Mecca.

Mengo encephalitis virus, growth of, in Ehrlich ascites cells in vitro. Flanagan and Colter, 657

6-Mercaptopurine, effect on incorporation of P32 into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31

, effect on various carcinomas. Tarnowski and Stock, 227

Metaplasia, experimental production of, in the human apocrine sweat gland. Shelley and Cahn, 671

Metastases, of fibrosarcoma G1-46 to the lung after implantation in the tail and subsequent amputation. Baserga and Baum, 52

relation to tumor size in rats bearing Walker carcinoma 256. Bernard, Dutton, and Radakovich, 325

Methanol, effect on growth of diseased plants in tissue culture. Hildebrandt and Riker, 517

Methionine, administration with cysteine and 4-(p-dimethylaminostyryl)quinoline methochloride in diet, lack of effect on regression of Lymphoma 8 in rats. Bahner, 588

C14 content of, in rat liver, after injection of methyl-C14bis(β-chloroethyl)amine. Trams and Klopp, 617

—, in liver, effect of ethionine on, in normal and tumorous rats. Levy, Murphy, and Dunn, 302 —, isolated from mouse lymphoma protein, effect of A-methopterin on incorporation of formate-C14 into. Williams, Slater, and Winzler, 532

Methylbis(2-[or β -]chloroethyl)amine, effect on cellular division and differentiation, in rat intestine. Friedman, Sargent, and Drutz, 479

effect on incorporation of P32 into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31 effect on level of serum aldolase in tumor-bearing rats.

Sibley, Fleisher, and Higgins, 306

, effect on various carcinomas. Tarnowski and Stock, 227 relation of, to mutagenesis and carcinogenesis, review on. Burdette, 201

, toxicity and carcinostatic activity of, in mice and rats. Sassenrath, Morrison, Larson, and Greenberg, 755

Methyl-C14-bis(β-chloroethyl)amine, distribution of radiocarbon in liver choline, creatine, and methionine after injection of, in rat. Trams and Klopp, 617

3-(or 20-) Methylcholanthrene, carcinogenic activity of, alone

or with other chemicals, in mice. Steiner, 632

, effect on forestomach and cecum of mice. Rack, Kaufman, and Simeone, 722 , effect on level of Δ^7 -cholestenol in rat and mouse skin.

Kandutsch and Baumann, 128

3-(or 20-) Methylcholanthrene, feeding of, followed by croton oil or polyethylene glycol-400, effect on carcinogenesis in forestomach of mouse. Berenblum and Haran, 510

, induction of leukemia by, effect of gonadectomy and androgenic hormone on, in mice. Kirschbaum, Liebelt, and Falls, 685

, induction of leukemia by, effect of thymectomy on, in mice. Kirschbaum and Liebelt, 689

, inhibition of sarcomas produced by, in hypophysectomized rats. Moon and Simpson, 403

, method for measuring relative potency of, as carcinogen in mouse skin. Horton and Denman, 701

oxygen utilization by tumors induced by. Holtkamp, Hill, and Rutledge, 354

, response of sebaceous glands of mice to topical application of. Suntzeff, Cowdry, and Croninger, 637

, tumor induction in forestomach of mouse by feeding of. Berenblum and Haran, 504

3'-Methyl-4-dimethylaminoazobenzene, P32 incorporation into nucleic acids and proteins of liver nuclei of rats fed. Ward and Griffin, 456

2'-Methyl-4-dimethylaminostilbene, immunological properties of carcinogen-protein conjugates containing. Creech, Havas, and Andre, 726

N-Methylformamide, effect on growth of Ehrlich ascites tumor. Furst, Cutting, and Gross, 294

-, effect on various carcinomas. Tarnowski and Stock, 227 , inhibition of L1210 leukemia, Sarcoma 180, and Adenocarcinoma E 0771 by. Skipper, Schabel, Binns, Thomson, and Wheeler, 143

Methyl groups, labile, inability of 4-dimethylaminoazobenzene to act as major source of. Miller, MacDonald, and Miller,

N, N'-(4-Methyl-m-phenylene)-bis(aziridinecarboxamide), effect on growth of Walker 256 carcinoma in rats. Herbut and Kraemer, 614

Microscopy, cancer cytology and cytochemistry, a review. Mellors, 557

electron, examination of rat liver tumors by. Howatson and Ham, 62

, electron, of ultrastructure of surfaces of normal and can-cerous cells from rabbit skin. Coman and Anderson, 541

electron, studies of virus-like particles in Rous sarcoma by. Gaylord, 80

of degeneration of sebaceous glands in mice. Suntzeff, Cowdry, and Croninger, 637

Mitochondria, of liver tumors, studied by electron microscopy. Howatson and Ham, 62

Mitosis, effect of irradiation and chemotherapeutic agents on, in rat intestine. Friedman, Sargent, and Drutz, 479

Miyono adenocarcinoma, effects of phosphoramides on. Sugiura and Stock, 38

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Muscle, concentration of free amino acids in, after injection of selected amino acids into normal and tumor-bearing rats. Greenberg and Sassenrath, 620

in rats with methylcholanthrene-induced tumors, oxygen utilization of, in vitro. Holtkamp, Hill, and Rutledge, 354, in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365

Mutation, in relation to the origin of tumors, review on. Burdette, 201

Myleran. See 1,4-Dimethanesulfonoxybutane.

2'.3'-Naphtho-3,4-pyrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira,

Necrosis, of mouse liver in vitro, chemical changes associated with. Berenbom, Chang, Betz, and Stowell, 1

Niacin, effect alone and with other B vitamins on tumor incidence of Drosophila fed a low-tumor diet. Friedman, Harnly, and Kopac, 375

Nitrogen, content of, in various human tumors. Waterhouse, Terepka, and Sherman, 544

, content of, in Yoshida sarcoma, effect of radiation on. Gardella and Lichtler, 529

Nitrogen mustard. See Methylbis(β -chloroethyl)amine.

Notochord, tumors of, produced by Lathyrus factor in salamander. Levy and Godman, 184

Novikoff hepatoma, effect of alloxan diabetes on growth of, in rat. Goranson and Tilser, 626

, glucose-6-phosphatase activity of. Weber and Cantero, 105

-, study by electron microscopy of. Howatson and Ham, 62 Nuclei, of liver tumors, studied by electron microscopy. Howatson and Ham, 62

Nucleic acids. See also Deoxyribonucleic acid and Ribonucleic acid.

, alterations in, during necrosis of mouse liver in vitro.

Berenbom, Chang, Betz, and Stowell, 1
—, incorporation of P³² into, in liver nuclei of normal and azo dye-fed rats. Ward and Griffin, 456

metabolism of, in relation to cancer. Greenberg, 421 synthesis of, effects of A-methopterin on, in leukemic spleen breis. Balis and Dancis, 603

Nucleoli, of liver tumors, studied by electron microscopy. Howatson and Ham, 62

Nucleoprotein, from Ehrlich ascites cells, effect of injection of, on subsequent injection of ascites cells into mice. Horn, 663

Nucleotides, acid-soluble purines of, incorporation of glycine-2-C¹⁴ into. Edmonds and LePage, 93

isolation from rat tissues following P32 administration. Daoust and Cantero, 734

, purine and pyrimidine, relation to cancer. Greenberg, 421 Nylon, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich,

Obese-hyperglycemic syndrome, hereditary, effect on survival of mice with Ehrlich ascites carcinoma. Jehl, Mayer, and McKee, 341

Orotic acid-N15, incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164

Ovary, development and growth of tumors in, after transplantation to the spleen. Gardner, 109

Oxalacetate, oxidation of, in methylcholanthrene-induced tumors, adjacent muscle, and normal muscle of rats. Holtkamp, Hill, and Rutledge, 354

Oxygen, utilization of, by methylcholanthrene-induced tumors, adjacent muscle, and normal muscle of rats. Holtkamp, Hill, and Rutledge, 354

Pantoyltaurine, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Parabiosis, of mice, effect of testosterone propionate on gonadotrophic level following gonadectomy or x-radiation. Vermande-Van Eck and Chang, 280

Paris-daisy, crown gall, inhibition of growth in tissue culture by alcohols. Hildebrandt and Riker, 517

Patterson lymphosarcoma. See Lymphosarcoma Patterson.

Pentosenucleic acid. See Ribonucleic acid.

Periwinkle, crown gall, inhibition of growth in tissue culture by alcohols. Hildebrandt and Riker, 517

Peroxidase, activity in Walker carcinoma 256, effect of 2,4dichlorophenol inhibition of catalase on. Neufeld, Lucas, Martin, and Stotz, 550

, in mitochondria of Walker carcinoma 256. Neufeld, Lucas, Martin, and Stotz, 550

Phenanthrene, carcinogenic activity of, alone or with other chemicals, in mice. Steiner, 632

, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

Phenylthiourea, inhibition of DOPA autoxidation by. Hirsch,

Phosphamidase, increased in exfoliated malignant cells in exerimental carcinoma of cervix and vagina in mice. von Haam and Scarpelli, 449

Phosphatase, acid and alkaline, activity of, in plasma of normal and lymphomatous chickens. Lesher and Burmester, 537 , acid and alkaline, alterations in, during necrosis of mouse liver in vitro. Berenbom, Chang, Betz, and Stowell, 1

Phosphorus, concentration of, in human tumors. Waterhouse, Terepka, and Sherman, 544

Phosphate-P32, effect of 2,6-diaminopurine and of 5-aminouridine on incorporation of, into rat liver and hepatoma. Werkheiser, Winzler, and Visser, 641

, effect of various antitumor agents on incorporation into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and

Freeman, 31

incorporation into free nucleotides of normal liver, intestinal mucosa, and liver tumors of rats. Daoust and Cantero, 734

incorporation into nucleic acids and proteins of liver nuclei of normal and azo dye-fed rats. Ward and Griffin, 456 , incorporation into nucleic acids of regenerating rat liver. Nygaard and Rusch, 240

Phospholipid, content of, in the intestine of normal and tumorbearing rats. Bloor and Haven, 173

Phosphoprotein, incorporation of P³² into, in liver nuclei of normal and azo dye-fed rats. Ward and Griffin, 456

Picene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

a-Picolinic acid, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Pituitary, effect of hypophysectomy on carcinogenesis produced in rats by methylcholanthrene. Moon and Simpson,

—, effect of testosterone propionate on gonadotrophic hormone level. Vermande-Van Eck and Chang, 280

, induction of sarcomas in rats without, by 3,4-benzpyrene. Agate, Antopol, Glaubach, Agate, and Graff, 6

, tumors of, development after surgical or radiological removal of thyroids of mice. Dent, Gadsden, and Furth, 70 tumors of, transplantation into surgically or I131-thyroidectomized mice. Dent, Gadsden, and Furth, 70

Plants, diseased, inhibition of growth in tissue culture by alcohols. Hildebrandt and Riker, 517

Plasma, activity of acid phosphatase, alkaline phosphatase and adenosine triphosphatase in, in chicken. Lesher and Burmester, 537

, concentration of free amino acids in, after injection of selected amino acids into normal and tumor-bearing rats. Greenberg and Sassenrath, 620

proteins of, in mice, influence of tumor growth on. Bernfeld and Homburger, 359

Platyfish. See Xiphophorus maculatus.

Pliofilm, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Polyethylene, implantation of, effect on tumor production in rats. Bering, McLaurin, Lloyd, and Ingraham, 300

, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Polyethylene glycol-400, anticarcinogenic effect after hydrocarbon feeding on carcinogenesis in forestomach of mouse. Berenblum and Haran, 510

Polymers, as carcinogenic agents after subcutaneous imbedding of, in rats and mice. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Polymethyl methacrylate, rodent tumors induced by sub-cutaneous imbedding of. Oppenheimer, Oppenheimer, Da-nishefsky, Stout, and Eirich, 333

Polyphenoloxidase, with o-dihydroxyphenol, effect on glucose metabolism of Ehrlich adenocarcinoma. Kertesz and Albano,

Polystyrene, rodent tumors induced by subcutaneous imbed-

ding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Polyvinyl chloride, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Potassium, concentration of, in human tumors. Waterhouse, Terepka, and Sherman, 544

Proline, effect of injection of large doses of, on other amino acids, in normal and tumor-bearing rats. Greenberg and Sassenrath, 620

, in liver, effect of ethionine on, in normal and tumorous rats. Levy, Murphy, and Dunn, 302

Proteins, incorporation of P32 into, in liver nuclei of normal and azo dye-fed rats. Ward and Griffin, 456

, in urine of tumor-bearing rats. Rumsfeld and Baumann,

—, of mouse leukemia, effect of A-methopterin on formate-C¹⁴ incorporation into. Williams, Slater, and Winzler, 532 plasma, in mice, influence of tumor growth on. Bernfeld and Homburger, 359

, synthesis of, relation to cancer. Greenberg, 421

Purine metabolism, in a variety of tumors. Bennett, Skipper, Stock, and Rhoads, 485

Puromycin, benzylidene analogs of, carcinostatic activity of, for mammary adenocarcinomas in mice. Halliday, Bennett, and Oleson, 693

Pyrene, electronic structure and carcinogenic activity of. Nagata, Fukui, Yonezawa, and Tagashira, 233

Pyridoxine, effect on deoxypyridoxine inhibition of transaminase. Dietrich and Shapiro, 133

Pyrithiamine, effect on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Pyruvate-2-C¹⁴, metabolism of, in various normal and tumor tissues. Busch, 365

Quinacrine, concentration of, in tissues of tumor-bearing mice after oral administration of. Vassey, Edmonds, Irvin, Green, and Irvin, 573

decreased rate of tumor growth in mice fed. Vassey, Edmonds, Irvin, Green, and Irvin, 573

Rana catesbiana, transplantation of renal carcinoma from R. pipiens into. Tweedell, 410

Rana clamitans, transplantation of renal carcinoma from R. pipiens into. Tweedell, 410

Rana palustris, transplantation of renal carcinoma from R. pipiens into. Tweedell, 410

Rana pipiens, transplantation of renal carcinoma into kindred races and into heterologous species. Tweedell, 410

Regression, spontaneous, of hemangioma in duck and chicken. Rigdon, 77

Resistance, to spontaneous leukemia, factor for, transmitted by old STOLI female mice. MacDowell, 19

to spontaneous leukemia in C58 mice, factor for, transmitted by milk of old STOLI female mice. MacDowell, 23 —, to Walker carcinoma 256, effect of banding of tumor or thorium dioxide on. Bernard, Dutton, and Radakovich, 15

Review, cancer cytology and cytochemistry. Mellors, 557 , isotopic tracer studies on the biochemistry of cancer. Greenberg, 421

, on the new emotionalism in research. Brues, 345

, on the significance of mutation in relation to the origin of tumors. Burdette, 201

Rhabdomyosarcoma, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497

Riboflavin, effect alone and with other B vitamins on tumor incidence of Drosophila fed a low-tumor diet. Friedman, Harnly, and Kopac, 375

Riboflavin-5-phosphate, lack of effect in reversing potentiation of 8-azaguanine by flavotin in chemotherapy of mouse tumors. Woodside and Kelton, 390

Ribonucleic acid. See also Nucleic Acids.

Ribonucleic acid, biogenesis of pyrimidines of, in Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164

, composition of, in rat liver tumor induced by 4-dimethylaminoazobenzene. de Lamirande, Allard, and Cantero, 329 , concentration of, in liver and tumor of mice fed quin-

acrine. Vassey, Edmonds, Irvin, Green, and Irvin, 573 , content of, in Yoshida sarcoma, effect of radiation on.

Gardella and Lichtler, 529

, effect of ascorbic acid and D-glucoascorbic acid on, in various tumor tissues. Sokoloff, Eddy, Beaumont, Williams, and Powella, 147

, incorporation of P32 into. Nygaard and Rusch, 240 , increased in exfoliated malignant cells in experimental carcinoma of cervix and vagina in mice. von Haam and Scarpelli, 449

synthesis of, in tumor-bearing hamsters. Balis, Praag, and Brown, 673

Ribose-1-C14, incorporation of, into glycine and serine by tumors. Kit, 715

Ridgway osteogenic sarcoma, effects of phosphoramides on. Sugiura and Stock, 38

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Rous sarcoma, electron microscope studies of virus-like particles in. Gaylord, 80

Saran, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 339

Sarcoma, growth of, in hamsters, factors affecting. Lemon and

, induced in rats by methylcholanthrene, lack of effect on protein excretion in urine. Rumsfeld and Baumann, 774

, spindle-celled, induction by 3,4-benzpyrene in hypophysectomized rats. Agate, Antopol, Glaubach, Agate, and Graff, 6

Sarcoma I, lack of effect on development of, by inflammatory reaction at site of implantation. Molomut, Spain, Kreisler, and Warshaw, 181

Sarcoma 37, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

effect of dinitrophenol and fluoride on glucose oxidation

in. Wenner and Weinhouse, 497

glucose-6-phosphatase activity of. Weber and Cantero, 105 , heterologous transplantation of, effect of lyophilized tu-

mor injections on. Pikovski and Schlesinger, 285 , solid form of, grown in tissue culture. Hogue and Rubin,

Sarcoma 180, cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

effect of 1,2-bis(β-chloroethylthio)ethane and methylbis(β-chloroethyl)amine on mice bearing. Sassenrath, Morrison, Larson, and Greenberg, 755

—, growth of, inhibited by N-methylformamide. Skipper,

Schabel, Binns, Thomson, and Wheeler, 143

, plasma protein changes in mice bearing. Bernfeld and Homburger, 359

solid and ascitic forms, effects of phosphoramides on. Sugiura and Stock, 38

(SKI), incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and

(SRI), incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

Sarcoma Ma387, effects of phosphoramides on. Sugiura and Stock, 38

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads,

Sarcoma R-1, effect of ethionine on free amino acids in liver of rats bearing. Levy, Murphy, and Dunn, 302
—, growth of, effect of ethionine alone or with amino acids

on. Dunn and Murphy, 760

Sarcoma R39, effects of phosphoramides on. Sugiura and Stock, 38

Sarcoma T241, effects of phosphoramides on. Sugiura and Stock, 38

Sebaceous glands, auditory, changes in, produced by 2-acetylaminofluorene. Laws, Rudali, Royer, and Mabille, 139

, degeneration of, caused by carcinogens. Suntzeff, Cowdry, and Croninger, 637

Serine, biosynthesis of, by tumors from nonamino acid precursors, Kit, 715

-, effect of injection of large doses of, on other amino acids, normal and tumor-bearing rats. Greenberg and Sassenrath, 620

, in liver, effect of ethionine on, in normal and tumorous rats. Levy, Murphy, and Dunn, 302

isolated from mouse lymphoma protein, effect of Amethopterin on incorporation of formate-C14 into. Williams, Slater, and Winzler, 532

Serine dehydrase, concentration in livers of tumor-bearing rats. Greenberg and Sassenrath, 620

Serum aldolase, in normal and tumor-bearing rats. Sibley, Fleisher, and Higgins, 306

Shope papilloma, response of skin from rabbits immune to, after in vitro infection and transplantation. Greene, 124

Shope papilloma virus, infectiousness of, after growth in embryonic, neoplastic, and cancerous states of domestic rabbit skin. Greene, 748

Silastic, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich,

Silk, rodent tumors induced by subcutaneous imbedding of. Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

Skin, chicken, early development of squamous-cell carcinoma after methylcholanthrene painting of. Knight and Taber, 583 , domestic rabbit, infectiousness of Shope papilloma virus after growth in embryonic, neoplastic, and cancerous states of. Greene, 748

embryonic, after heterologous transplantation. Greene,

, human, experimental production of metaplasia in apocrine sweat gland. Shelley and Cahn, 671

-, level of Δ^7 -cholestenol in, after treatment with carcinogens and other chemicals. Kandutsch and Baumann, 128 , rabbit, ultrastructure of cell surface of normal and cancerous epidermis. Coman and Anderson, 541

, sebaceous glands of, degeneration caused by carcinogens

in mice. Suntzeff, Cowdry, and Croninger, 637

-, tumors of, induced by 2-acetylaminofluorene in combination with croton oil or 9,10-dimethyl-1,2-benzanthracene. Ritchie and Saffiotti, 84

tumors of, in mice, methods for determining relative potencies of complex materials. Horton and Denman, 701

Sodium pantothenate, effect alone and with other B vitamins on tumor incidence of Drosophila fed a low-tumor diet. Friedman, Harnly, and Kopac, 375

Soybean hemagglutinin, nonspecific effect of, on tumor growth. Liener and Seto, 407

Spleen, development of ovarian neoplasms after transplantation into. Gardner, 109

hamster, pentosenucleic acid synthesis in. Balis, Praag, and Brown, 673

, in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365

, lesion of, after inoculation of lymphoid tumor into chicken. Julian, 493

leukemic, in mice, effects of A-methopterin on nucleic acid synthesis in. Balis and Dancis, 603

—, mouse, effect of tumor fractions on uptake of adenine-8-C14 into deoxyribonucleic acids of. Furlong, Watson, Davis, and Griffin, 710

Sterols, level in skin, after treatment with carcinogens and other chemicals. Kandutsch and Baumann, 128

Stomach, emptiness of, effect on tumor induction in forestomach of mouse. Berenblum and Haran, 504

—, mouse, influence of croton oil and of polyethylene glycol-400 on carcinogenesis in forestomach of mouse. Berenblum and Haran, 510

, mouse, lack of tumor induction in glandular mucosa by several carcinogens. Berenblum and Haran, 504

-, mouse, tumor induction in forestomach influenced by dose of carcinogen and emptiness of stomach. Berenblum and Haran, 504

Succinate, oxidation of, in methylcholanthrene-induced tumors, adjacent muscle, and normal muscle of rats. Holtkamp, Hill, and Rutledge, 354

Succinic dehydrogenase, histochemical determination of, by means of tetrazolium in rat liver tumors induced by p-dimethylaminoazobenzene. Pearson and Defendi, 593

Succinoxidase, alterations in, during necrosis of mouse liver in vitro. Berenbom, Chang, Betz, and Stowell, 1

Sunflower, crown gall, inhibition of growth in tissue culture by alcohols, Hildebrandt and Riker, 517

Sweat glands, apocrine, human, experimental production of metaplasia in. Shelley and Cahn, 671

TA3 ascites tumor, incorporation of glycine-2-C14 into. Greenlees and LePage, 256

—, in mouse, effect of dinitrophenol and fluoride on glucose oxidation in. Wenner and Weinhouse, 497

Teflon, rodent tumors induced by subcutaneous imbedding of Oppenheimer, Oppenheimer, Danishefsky, Stout, and Eirich, 333

TEM. See 2,4,6-Tris(ethyleneimino)-s-triazine.

Testis, hamster, pentosenucleic acid synthesis in. Balis, Praag, and Brown, 673

, in vivo metabolism of pyruvate-2-C14 by, in tumor-bearing rats. Busch, 365

Testosterone, augmentation of deoxypyridoxine antagonism of various enzyme systems by. Dietrich and Shapiro, 133

Testosterone phenylacetate, inhibition of methylcholanthreneinduced leukemogenesis in gonadectomized male mice by. Kirschbaum, Liebelt, and Falls, 685

Testosterone propionate, suppression of increased gonadotro-phin following gonadectomy or x-radiation by. Vermande-Van Eck and Chang, 280

Thiamine hydrochloride, effect alone and with other B vitamins on tumor incidence of Drosophila fed a low-tumor diet. Friedman, Harnly, and Kopac, 375

Thoracic duct, tumor emboli in, studied with V2 carcinoma in rabbit. Zeidman, 719

Thorium dioxide, lack of effect on incidence of metastases of Walker carcinoma 256. Bernard, Dutton, and Radakovich, 325

, lack of effect on resistance to Walker carcinoma 256. Bernard, Dutton, and Radakovich, 15

Thorotrast. See Thorium dioxide.

Threonine, effect of injection of large doses of, on other amino acids, in normal and tumor-bearing rats. Greenberg and Sassenrath, 620

Threonine dehydrase, concentration in livers of tumor-bearing rats. Greenberg and Sassenrath, 620

Thymectomy, in mice, effect on methylcholanthrene-induced leukemia. Kirschbaum and Liebelt, 689

Thymine, synthesis of, effects of A-methopterin on, in leukemic mice. Balis and Dancis, 603

Thyroid, histology of remnants after surgical removal or I131

treatment. Dent, Gadsden, and Furth, 70

—, surgical or radiological removal of, effect on induction of pituitary tumors in mice. Dent, Gadsden, and Furth, 70—, tumors of, in kidneys of platyfishes. Baker, Berg, Gorb-

man, Nigrelli, and Gordon, 118 Tissue culture, of diseased plants, inhibition of growth by alcohols. Hildebrandt and Riker, 517

of Mengo encephalitis virus in Ehrlich ascites cells.

Flanagan and Colter, 657

—, of mouse fibroblasts and Sarcoma 180 cells, cytoplasmic lipid granularity in. Biesele and Goldhaber, 767

-, of solid form of mouse Sarcoma 37. Hogue and Rubin, 462 -, of strain L clone 929 cells from the mouse, effect of horse serum residue and chemically defined supplements on proliferation. Fioramonti, Bryant, McQuilkin, Evans, Sanford, and Earle, 763

of three human epidermoid cancers, one embryonal rhabdomyosarcoma, and one sarcoma, culture and morphological characteristics of. Moore, Sabachewsky, and Toolan,

Tobacco tissue, inhibition of growth in tissue culture by alcohols. Hildebrandt and Riker, 517

Transaminase, glutamic-aspartic and glutamic-alanine systems, inhibition by deoxypyridoxine with or without testosterone. Dietrich and Shapiro, 133

Transplantation, heterologous, effect of lyophilized tumor injections on. Pikovski and Schlesinger, 285

heterologous, of embryonic skin. Greene, 170

heterologous, of human brain tumor into guinea pig eye. Nettleship and Zeman, 246

heterologous, of human tumors in various animals. Korngold and Lipari, 159 , of amphibian renal carcinoma into kindred races and into

heterologous species of frogs. Tweedell, 410 of homologous tumors, affected by normal tissue inocula.

Schneyer, 268

of mammary tumors in mice, effect of tumor size on. Martinez, Miroff, and Bittner, 469

, of ovary into spleen, development of ovarian tumors. Gardner, 109

of sarcoma in hamsters, factors affecting. Lemon and Smakula, 273

of spontaneous ascites tumor in Wistar rat. Aptekman and Bogden, 89

of tumors in mice, unaffected by inflammatory response at site of. Molomut, Spain, Kreisler, and Warshaw, 181 , semi-automatic device for use with solid tissue fragments.

Fuson and Eichwald, 162 , time of, for mammary tumors in mice. Martinez, Miroff,

and Bittner, 442
—, time of, for mammary tumors, acceleration in mice pretreated with tumor tissue preparation. Miroff, Martinez, and Bittner, 437

Triethylene melamine, effect on cellular division and differentiation, in rat intestine. Friedman, Sargent, and Drutz, 479 , effect on growth of Ehrlich ascites tumor. Furst, Cutting, and Gross, 294

, effect on growth of Walker 256 carcinoma in rats. Herbut and Kraemer, 614

effect on incorporation of P32 into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31

N,N',N"-Triethylenephosphoramide, effect on growth of various rat and mouse tumors. Sugiura and Stock, 38—, effect on incorporation of P³² into deoxyribonucleic acid

of Adenocarcinoma 755. Davidson and Freeman, 31

N, N', N"-Triethylenethiophosphoramide, effect on growth of various rat and mouse tumors. Sugiura and Stock, 38—, effect on incorporation of P³² into deoxyribonucleic acid of Adenocarcinoma 755. Davidson and Freeman, 31

2,4,6-Tris(ethyleneimino)-s-triazine, effect on various carcinomas. Tarnowski and Stock, 227

Trocar, semi-automatic, for transplantation of tumor fragments. Fuson and Eichwald, 162

Tryptophan, tumor induction in Drosophila by, counteracted by cysteine. Plaine, 151

Tumors, carcinoma in mice, effect of quinacrine on. Vassey, Edmonds, Irvin, Green, and Irvin, 573

cell spread of, as a lethal factor. Goldie, Walker, Jeffries, and Guy, 263

effect of site of inoculation, on lethality. Goldie, Walker, Jeffries, and Guy, 263

—, fibrosarcoma, in mice, effect of quinacrine on. Vassey, Edmonds, Irvin, Green, and Irvin, 573

, fractions of, effect on uptake of adenine-8-C14 into deoxyribonucleic acids of mouse tissues. Furlong, Watson, Davis, and Griffin, 710

Tumors, granulosa-cell, in mice, effect of quinacrine on. Vassey, Edmonds, Irvin, Green, and Irvin, 573

-, growth of, effect of ethionine alone or with amino acids on. Dunn and Murphy, 760

—, growth of, effect of lyophilized tumor injections on. Pikovski and Schlesinger, 285 , growth of, effect of normal tissue inocula on. Schneyer,

growth of, in rat, effect of alloxan diabetes on. Goranson and Tilser, 626

growth of, nonspecific effect of soybean hemagglutinin on. Liener and Seto, 407

, human, analysis for electrolyte, water, and nitrogen content of. Waterhouse, Terepka, and Sherman, 544

human, increased aldolase content in adenocarcinoma of colon and rectum. Sibley and Fleisher, 609

incidence of, effects of vitamin variations on, in Drosophila. Friedman, Harnly, and Kopac, 375

, induced by methylcholanthrene, oxygen utilization of, in

rats, in vitro. Holtkamp, Hill, and Rutledge, 354 , induction of, in forestomach of mouse, effect of dose of carcinogen and emptiness of stomach on. Berenblum and Haran, 504

influence of growth of, on plasma proteins in mice. Bernfeld and Homburger, 359

—, in mice, effect of oral administration of quinacrine on growth of. Vassey, Edmonds, Irvin, Green, and Irvin, 578 , in rat, after whole-body radiation. Koletsky and Gustafson, 100

interstitial-cell, in mice, effect of quinacrine on. Vassey,

Edmonds, Irvin, Green, and Irvin, 573

—, mammary, acceleration in transplantation and killing time in mice pretreated with tumor tissue preparation. Miroff, Martinez, and Bittner, 437

, of skin of mice, method for measuring relative potencies of various compounds. Horton and Denman, 701

penetrance of, effects of vitamin analogs on, in Drosoph-

ila. Friedman, Harnly, and Kopac, 382

—, production of, in rats by polyethylene implants. Bering,

McLaurin, Lloyd, and Ingraham, 300
—, significance of mutation on origin of, review. Burdette,

-, size of, effect on transplantability and lethality of mammary tumors in mice. Martinez, Miroff, and Bittner, 469 size of, relation to frequency of metastases. Bernard, Dutton, and Radakovich, 325

Ultraviolet light, effect of visible light on carcinogenicity of, in mice. Griffin, Dolman, Böhlke, Bouvart, and Tatum, 523

Uracil-N15, incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz,

β-Ureidopropionic acid, lack of incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164

L-Ureidosuccinic acid-N15, incorporation of, into PNA pyrimidines of Ehrlich ascites tumor. Lagerkvist, Reichard, Carlsson, and Grabosz, 164

Urethan, effect on cellular division and differentiation, in rat intestine. Friedman, Sargent, and Drutz, 479

effect on growth of E. coli. Skipper, Schabel, Binns,

Thomson, and Wheeler, 143 effect on level of serum aldolase in tumor-bearing rats.

Sibley, Fleisher, and Higgins, 306 , effect on various carcinomas. Tarnowski and Stock, 227 relation of, to mutagenesis and carcinogenesis, review on.

Burdette, 201 Urinary proteins, in normal and tumor-bearing rats. Rumsfeld and Baumann, 774

Vr2 rabbit carcinoma, spread of cell suspensions of, in lym-

phatic system. Zeidman, 719

—, ultrastructure of cell surfaces of. Coman and Anderson,

Virchow's node, pathogenesis of, in relation to spread of cancer in the lymphatic system. Zeidman, 719

Virus, isolated from Hodgkin's disease lymph nodes, characteristics of. Bostick and Hanna, 650

, Mengo encephalitis, growth of, in Ehrlich ascites cells in vitro. Flanagan and Colter, 657

, Shope papilloma, infectiousness of, after growth in embryonic, neoplastic, and cancerous states of domestic rabbit skin. Greene, 748

-, Shope papilloma, response of skin from rabbits immune to, after in vitro infection and transplantation. Greene, 124

Virus-like particles, associated with Rous sarcoma. Gaylord, 80 Vitamin analogs, effects of, on tumor penetrance in Drosophila. Friedman, Harnly, and Kopac, 382

Vitamin B12, influence of, on liver disease due to a "labile methyl"-free diet. Bennett, Hellerman, and Donnelly, 398

Vitamins, effect of variations of, on tumor incidence of a tu-e strain of Drosophila. Friedman, Harnly, and Kopac, 875

Wagner osteogenic sarcoma, effects of phosphoramides on. Sugiura and Stock, 38

incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

Walker 256 carcinosarcoma, effect of alloxan diabetes on

growth of, in rat. Goranson and Tilser, 626
—, effect of 1,2-bis(β-chloroethylthio)ethane and methylbis(β-chloroethyl)amine on rats bearing. Sassenrath, Morrison, Larson, and Greenberg, 755

, effect of cortisol and ammonium chloride on growth of, in normal and adrenalectomized rats. Selye, 26

effect of N,N'-(4-methyl-m-phenylene)-bis(aziridinecarboxamide) on growth of, in rats. Herbut and Kraemer, 614

, effect of partial hepatectomy on growth of. Paschkis, Cantarow, Stasney, and Hobbs, 579

, effect of phosphoramides on. Sugiura and Stock, 38 , effect of thorium dioxide on resistance to. Bernard, Dutton, and Radakovich, 15

effect on serum aldolase level in rats bearing. Sibley, Fleisher, and Higgins, 306

, free amino acid concentrations of various tissues following injection of selected amino acids into rats bearing. Greenberg and Sassenrath, 620

, incorporation of labeled purines and of formate-C14 into nucleic acid purines of. Bennett, Skipper, Stock, and Rhoads, 485

, lack of effect of thorium dioxide on incidence of metastases of. Bernard, Dutton, and Radakovich, 325

, metabolism of pyruvate-2-C14 by normal and tumor tissues in rats bearing. Busch, 365

, nonspecific effect of soybean hemagglutinin on growth of. Liener and Seto, 407 peroxidase and cytochrome oxidase in cell fractions of.

Neufeld, Lucas, Martin, and Stotz, 550 , weight and lipid content of intestines in rats with. Bloor

and Haven, 173

Water, content of, in various human tumors. Waterhouse, Terepka, and Sherman, 544

content of, in Yoshida sarcoma, effect of radiation on. Gardella and Lichtler, 529

Xiphophorus maculatus, thyroid tumors in kidneys of. Baker, Berg, Gorbman, Nigrelli, and Gordon, 118

X-radiation, as a factor in the development of pituitary tumors in mice. Dent, Gadsden, and Furth, 70

effect of testosterone propionate on gonadotrophic level following. Vermande-Van Eck and Chang, 280

effect on level of serum aldolase in tumor-bearing rats. Sibley, Fleisher, and Higgins, 306

effect on nucleic acid, nitrogen, and water content of Yoshida sarcoma. Gardella and Lichtler, 529

, tumor induction in Drosophila by, counteracted by cysteine. Plaine, 151

whole body, as a carcinogenic agent for rats. Koletsky and Gustafson, 100

Yoshida sarcoma, effect of radiation on nucleic acid, nitrogen, and water content of. Gardella and Lichtler, 529

